

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apar mtent, First Floor, 527 Budhwar Peth, Tapkir Galli,

Pune - 411002. 2 : 24456774, 24491816, 66029641 / 642.

M: 7875758405 / 08. 7875758265 / 7875758239

Email: sales@sanjayelectricalspune.com • accounts@sanjayelectricalspune.com

www.sanjayelectricalspune.com

MADE IN INDIA, SINCE 1985

PRICE LIST
WITH EFFECT FROM
1-10-2024

CUT Clean **STRIP** Easy

CRIMP Right

Products Range: 0.1mm² To 1000mm²

Crimping Tools	Stripping Tools	Cutting Tools	Pliers	Mechanical Tools	Gear Powered Tools
Battery Powered Tools	Hydraulic Tools	Pneumatic Tools	Fastening Tools	Network & Telecom TOOLS	
Din Rail Cutters	Anti Corrosive Compound	Tools Accessories			



NON- INSULATED TERMINAL CRIMPING TOOL

Weight: 400grm

Capacity: 0.5mm2 to 6mm2

(W Type Crimping)

VIRAT-6

Hand operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between wires cable terminal ends.

VIRAT-6 Ratchet type Crimping Pliers suitable for Non-insulated Terminal Ends 0.5mm² to 6mm²

All parts are made from special alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



MRP: Rs.960/- Capacity: 1.5mm² to 10mm² Weight: 525grm

JOP-427

Ratchet type Crimping Plier to crimp Cable Terminal End from 1.5mm² to 10mm².

This tool has unique interiocking device, the locked ratchet will not release itself till the crimping operation is completed to ensure crimping

All parts are made from special alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



'D' TYPE CRIMPING

SUPER-6

Hand operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between wires cable terminal ends.

SUPER-6 Ratchet type Crimping Pliers suitable for Non-insulated Terminal ends 0.5mm² to 6mm²

All parts are made from special alloy Steel duly Hardened & Tempered.

NON- INSULATED TERMINAL CRIMPING TOOL



MRP: Rs.1,030/-Capacity: 0.5mm²to 16mm ² Weight: 700grm.

SAMRAT-16

- Hand Operated Havy duty Ratchet type Crimping Tools to crimp non-Insulated terminal end for 0.5mm² to 16mm²
- Best Crimping result by precise Crimping Jaws and integral lock with self releasing Mechanism when correct pressure reached.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

INSULATED TERMINAL CRIMPING TOOL



MRP: Rs.1,650/- Capacity: 1.5,2.5,4-6mm²

Weight: 550grm.

TRISHUL (3 in 1)

- Hand Operated Light Weight Ratchet type Crimping plier to crimp pre Insulated cable Terminal Ends.
- Trishul is suitable for 3 in 1 pre insulated Cable Terminal Ends i.e. 1.5,2.5,4-6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.

END SEALING FERRULES CRIMPING TOOL



MRP: Rs.1,650/- Capacity: 0.5mm²to 6mm² Weight: 550grm.

CHETAK-6

- Ratchet type tool is specially designed to crimp ends sealing ferrules. of size 0.5mm² to 6mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to
- The tools are with the features of High effectiveness and a long life.

END SEALING FERRULES CRIMPING TOOL



MRP: Rs.1,650/- Capacity: 10mm² to 16mm² Weight: 550grm.

CHETAK-16

- Ratchet tool is specially designed to crimp ends sealing ferrules. of size 10mm² to 16mm².
- The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to
- Specially made from alloy steel and all parts are Hardened & Tempered.

OPEN BARREL TAB CRIMPING TOOL



MRP: Rs.1,850/- **Capacity:** 0.5-1.0,1.1-2.5, 4-6mm



Weight: 550grm.

LUV-KUSH-6 Hand operated Light Weight Ratchet type crimping plier to crimp open

- barrel tab Terminal ends with Capacity 0.5-1.0,1.1-2.5,4-6mm². The tool features an adjustment dial with six section to further enchance the quality of tools. This tool is designed as, push to release, and close to release.
- Specially made from Alloy steel and all parts are Hardened & Tempered.



INSULATED/NON INSULATED & END SEALING FERRULES





Weight: 650grm.

998

111 100

TRISHAKTI

- The tools is specially designed with precise crimping die sets without screw fixing.
- You can replace the die sets only by pushing ahead.
- Ideal crimping Tool for the connection of the power distributing cabinet.
- Provide-2 sets of dies at both side for using and storing easily.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)



MRP: Rs. 3,600/-

MRP: Rs. 750/-



Weight: 400grm

CHAKRA-6 Self adjustable Crimping Pliers.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm2 to 6.0mm2
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (4 SPOT CRIMPING)





MRP: Rs. 1,920/-Capacity: 0.25mm2 to 6mm2

Weight: 400grm

CHAKRA-6 PRIME

- Self adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm2 to 6.0mm2
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (6 SPOTS CRIMPING)





Weight: 400grm

Self adjustable Crimping Pliers.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (6 SPOTS CRIMPING)





MRP: Rs. 2,620/-Capacity: 0.25mm2 to 6mm2

Weight: 400grm

SPIDER-6 PRIME

CHAKRA-16

SPIDER-6

- Self adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.25mm² to 6.0mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)



MRP: Rs. 1,700/-



Weight: 550grm

Self adjustable Crimping Pliers.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 4mm² to 16mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened &

END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)

Capacity: 4mm² to 16mm²





Capacity: 0.08mm² to 16mm² MRP: Rs. 1.800/-

Weight: 675grm

CHAKRA-16 PRIME

- Self adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm² to 16mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

END SEALING FERRULES CRIMPING TOOL (6 SPOTS CRIMPING)





Weight: 675grm

MRP: Rs. 2,150/-Capacity: 0.08mm² to 16mm²

SPIDER-16 PRIME

- Self adjustable Crimping Pliers.
- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.08mm² to 16mm²
- When Crimping with force the gripping force will evenly transfer to all the section i.e. (6 Spots) of crimping terminal.

Specially made from Alloy steel and precision parts are Hardened & Tempered.



SOLAR TERMINAL CRIMPING TOOL



Crimping range:2.5mm2, 4mm2 to 6mm2 MRP: Rs. 1.100/-



Weight: 400grm

MC 4 Male & Female Solar Connectors Crimping Tool

- The components of tool are made of special steel
- Precise crimping die and integral lock with self releasing mechanism ensure high quality crimping effect after crimping repeatedly
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

SOLAR TERMINAL CRIMPING TOOL



MRP: Rs. 3.350/-Crimping range:2.5mm², 4mm² to 6mm²

Weight: 720grm

MC-4 Prime

CX-01

CX-02

D-SUB

MC-4

- MC 4 Prime Crimping Tool adopts High Precision Rachet mechanism for complete crimps.
- MC 4 Prime has 1.2 metric tons pressure at crimping force with minimum hand effort.
- EDM Crimping Jaw ensure an accurate crimping result.
- TPR+PP Handle material & ergonomically handle shape reducing the working fatigue.
- This tool is with features of high effectiveness and long life

COAXIAL CRIMPING TOOL-RG55,58,59,62,5 6,21,140,141,142,143,210,212,222, 223,303,304,400, BELDEN 8279,8281,9231,9141



MRP: Rs. 1,100/-

Capacity: 8.1, 6.5, 5.4, 2.6, 1.72mm²



Weight: 575grm

The components of the ratchet crimping tools are made of special steel.

- Designed according to human factors engineering, it can
- save energy when crimping. Precise crimping die sets and intergral lock with
- self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

COAXIAL CRIMPING TOOL-RG58,59,62,8X,140,142,174,210,223,303,400, **FIBER OPTIC, BELDEN 8279**



MRP: Rs. 1,100/-

Capacity: 6.5,5.4,3.25,2.0,1.72,1.0mm²



Weight: 575grm

The components of the ratchet crimping tools are made of special steel.

- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and intergral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

D-SUB TERMINAL CRIMPING TOOL-XH2.54/3.96,PH2.0,PZ, KK254,JST,MOLEX, **DUPONT, D-SUB TERMINAL**



MRP: Rs. 2,100/-

Capacity: 0.08-0.05mm²



Weight: 400grm

The components of the ratchet crimping tools are made of special steel.

- Designed according to human factors engineering, it can save energy when crimping.
- Precise crimping die sets and intergral lock with self releasing mechanism ensure high-quality crimping effect.
- Due to best handle grasping position, light and compact structure
- and handle design ensure perfect crimping effect

7 IN 1 CRIMPING TOOL SET



MRP: Rs. 3.900/-





What's Included: Wire Stripper & Cutter - 1 Crimping Tool - 1 Crimping Die - 5Kit Box

INDRA

This versatile tool set comes with a convenient Kit Box for seamless storage and portability. It finds its application across various Industries including the electronic industry, automotive, and electricappliance repairing.

VERSATILE WIRE CRIMPER TOOL SET : Engineered to accommodate a wide array of terminals including, non-insulated, Insulated, end sealing, open barrel, and Mc4. CONSISTENT CRIMPING PERFORMANCE: Each crimp is executed with precision, thanks to the reliable ratchet mechanism, ensuring uniform and accurate results with every

ERGONOMIC DESIGN: Featuring a professional-grade crimping mechanism, this tool set enables effortless crimping, allowing forextended usage without causing hand fatique. COMPREHENSIVE INCLUSIONS: The set includes a precision wire Stripper for efficient wire cutting and stripping, delivering professional-grade results effortlessly.

Match A & B marking on the tool with corresponding markings on die for proper allgnment. NON-INSULATED TEMINAL END SEALING FERRULE . OPEN BARREL TAB TERMINAL



Capacity:



Capacity: 0.25-10mm²



0.5-6mm

INSULATED TERMINAL

0.25-6mm²



Capacity:

Capacity

SOLAR MC4 TERMINAL



 Innovative mechanical structure, it can saving 30% energy when crimping.
 Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly. • Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect.



JN 008 END SEALING FERRULES CRIMPING TOOL



END SEALING FERRULES CRIMPING TOOL

JN 010



Capacity: 0.5mm²to 6mm² Weight: 575grm. MRP: Rs.1,100/-



Capacity: 0.5mm²to 6mm² Weight: 575grm. MRP: Rs.1,100/-



Capacity: 6mm/10mm/16mm 2 Weight: 575grm. MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL

JN 011



Weight: 575grm. Capacity: 0.5mm²to 6mm² MRP: Rs.1,100/-

END SEALING FERRULES CRIMPING TOOL

JN 014



Capacity: 10mm/16mm/25mm/35mm Weight: 575grm. MRP: Rs.1,150/-

The components of the tool are made of special steel. • Designed according to human factors

OPEN BARREL TAB TERMINAL JN 48B (TAB 2.8,4.8,6.3) CRIMPING TOOL

Capacity: 0.5mm²-1.5mm² Weight: 400grm.

MRP: Rs.1,150/-

engineering, it can save energy.

END SEALING FERRULES



Capacity: 0.25mm²to 6mm² Weight: 400grm. MRP: Rs.1,100/-

Precise crimping die sets and integral lock with self releasing mechanism ensure high-quality crimping effect after crimping repeatedly.
 Due to best handle grasping position, light and compact structure and handle design ensure perfect crimping effect

OPEN BARREL TAB TERMINAL

CRIMPING TOOL

INSULATED TERMINAL **CRIMPING TOOL**

END SEALING FERRULES

JN 004 END SEALING FERRULES

JN 009

JN 012



Capacity: 0.5mm² to 6mm² Weight: 450grm. MRP: Rs.1,250/-

CRIMPING TOOL

JN 005



JN 006

Capacity: 0.5mm² to 6mm² W MRP: Rs.1,250/-Weight: 450grm.

END SEALING FERRULES




Capacity: 6mm²/10mm²/16mm² Weight: 450grm. MRP: Rs.1,250/-

CRIMPING TOOL

Capacity: 10mm²/16mm²/25mm²/35mm² Weight: 450grm. MRP: Rs.1,300/-

JN 007 CRIMPING TOOL



 Saves energy compared to common crimping Tools.
 All the key parts of the energy saving crimping tools have been specially harden.
 The tools are with the features of high effectiveness and long using lifetime.
 Favorable balance of the barycenter, angle press top and handle shape design meeting human being engineering principle make the operation more easy and convenient.

INSULATED TERMINAL CRIMPING TOOL

JN 001 END SEALING FERRULES

JN 002 OPEN BARREL TAB TERMINAL JN 003 **CRIMPING TOOL**



Capacity: 0.5mm²to 6mm² Weight: 575grm. MRP: Rs.1,450/-

Capacity: 0.5mm²to 6mm² Weight: 575grm. MRP: Rs.1,450/-

Capacity: 0.5mm²to 6mm² Weight: 575grm. MRP: Rs.1,450/-

PRICE LIST 2024

JN 013





Weight: 1.600grm

VIKRANT-50 (DIELESS)

ManualLy Operated dieless Light Weight Crimping tools, with rotating die of size 6mm² to 50mm².

Press the handle till the two portions of the die set touch each other,

There by ensuring perfectCrimping.

To release the die set, open the moving handle at a right angle of 90° degree.

All Precision parts are Hardened & Tempered.







(HEAVY DUTY DIELESS)

ARJUN-50

Heavy Duty easy to operate Dieless Crimping Tool to Crimp 16,25,35,50mm² aluminium & Copper tubular Terminal ends.

ARJUN-50 is most convenient for crimping at remote place and in trenches to (i.e. for underground cable)

All parts are made from EN-19 material which duly Hardened & Tempered.





Weight: 2.600grm

(DIELESS HEXAGONAL TYPE)

DELTA-50B



Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 50mm².

It is with the characteristics of long life, accurate bore diameter and good crimping effect.

All parts are made from special Alloy Steel duly Hardened & Tempered. Most convenient for crimping at remote places and in trenches too.



MRP: Rs. 1,850/-



(DIELESS HEXAGONAL TYPE)

DELTA-120B

Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 120mm².

It is with the characteristics of long life, accurate bore diameter and good crimping effect.

All parts are made from special Alloy Steel duly Hardened & Tempered. Most convenient for crimping at remote places and in trenches too.





MRP: Rs. 5,450/-Capacity: 10mm² to 120 mm² Weight: 4.3grm

(DIELESS HEXAGONAL TYPE)

DELTA-150B

Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 150mm².

It is with the characteristics of long life, accurate bore diameter and good crimping effect.

All parts are made from special Alloy Steel duly Hardened & Tempered. Most convenient for crimping at remote places and in trenches too.






MRP: Rs. 5,450/-Capacity: 25mm2 to 150 mm2

Weight: 4.3grm

(HEAVY DUTY DIELESS 'W' PUNCH TYPE)

PLUTO-50



All parts are made from special Alloy Steel duly Hardened &

Adujust to Jaw Diemeater according to the size of terminals. Length of the tools is 570mm.





MRP: Rs. 2,800/-Capacity: upto 50 mm²

Weight: 2.500grm

(HEAVY DUTY DIELESS PUNCH TYPE)

PLUTO-95

Light Weight Dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 95mm²

All parts are made from special Alloy Steel duly Hardened & Tempered.

Adujust to Jaw Diemeater according to the size of terminals. Length of the tools is 635mm.





MRP: Rs. 4,500/-

Capacity: 10mm2 to 95 mm2

Weight: 3.900grm

(HEAVY DUTY DIELESS PUNCH TYPE)

AGNEE-95



It is provided with 520mm long handles fitted with the tool to minimize pressure force.

The diameter of the crimping mouth can be adjusted according to the size ofhe terminal

All parts are made from special Alloy Steel duly Hardened & Tempered.





Weight: 3.600grm

PRICE LIST 2024 -







RING TYPE DIES Capacity: 10mm² to 95mm²

Weight: 5.400Kg. Dies: R-1 to R-10 (9 Sets) MRP: 6,400/- (Exept R-5)

HEXAGONAL TYPE DIES

Capacity: 10mm² to 95mm² Weight: 5.400Kg. Dies: H-10 to H-95 (7 Sets) MRP: 6,400/- (Exept R-8)

(Ring / Hexagonal Type Die)

GRD-95

- Hand Operated Heavy duty Crimping Tools with dies R-1 to R-10, (Except R-8) to crimp 10mm2 to 95mm2 aluminium & copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tools is made from special Alloy Steel.
- For the purpose of fixing the Equipment on the table, we have provided a stand and screw.
- Hand Operated Heavy duty Crimping Tools with Dies H-10 to H-95, to crimp 10mm² to 95mm² aluminium & copper tubular Terminal end.





RING TYPE DIES

Capacity: 10mm² to 185mm² Weight: 7.300Kg.

Dies: R-1 to R-13 (12 Sets) MRP: 7,650/- (Exept R-8)

RING TYPE DIES

Capacity: 10mm² to 185mm² Weight: 7.300Kg.


Dies : H-10 to H-185 (10 Sets) MRP: 7,650/- (Exept R-8)



(Ring / Hexagonal Type Die)

GRD-185

- Hand Operated Heavy duty Crimping Tools with Dies R-1 To R-11 Ring Type (Except R-8) and R-12 & R-13 Punchtype to crimp 10mm² to 185mm² aluminium & Copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tool is made from special Alloy Steel.
- For the purpose of fixed the Equipment on the table, we have provided a stand and screw.









(RING TYPE)



(HEXAGONAL TYPE)

RING TYPE DIES

VISHAL-185

- Hand Operated Mechanical crimping Tool with interchangeable Die sets R-1 to R-13, (Except R-8) to crimp 10mm² to 185mm aluminium and copper tubular Terminal ends.
- Provided with a Dual gripper system in Jaws and Dies for perfect crimping. It is must convenient for crimping at remote places and in trenches too (i.e. for underground cables)
- Capacity : 10mm² to 185mm² Dies : R-1 to R-13 (12 Sets) Weight : 7.100 Kg. Packed in Regzine Bag.

HEXAGONAL TYPE DIES

Hand Operated Mechanical crimping Tool with interchangeable Die sets from H-10 to H-185 to crimp 10mm² to 185mm² aluminium and

Capacity:10mm² to 185mm² Dies:H-10 to H-185 (10 Sets) Weight:7.100 Kg.



(Hexagonal Type Die) PLIER TYPE

SURYA-400

- Hand Operated Heavy Duty Mechanical Cromping Tool provided with interchangeable Hex Pattern Die, suitable for 25mm² to 400mm²
- It is most convenient for crimping at remote places and in trenches to (i.e. for underground cables)
- It is supplied with rubber moulded extension handles to increase Leverage and in turn reducing manual effort.
- The tool is packed in a very durable steel case.

Capacity: 25mm² to 400mm² Dies: H-25 to H-400 (11 Sets)

Weitht: 7.300 Kg. Packing: Steel Case



MRP.: 14.900/-

Aluminium Tubular : 25mm² to 400mm² : 25mm2 to 300mm2 Copper Tubular



(Hexagonal Type Die) GEAR POWERED

SANGRAM-400

- Hand Operated Gear Powered light weight Compression Tool with Interchangeable Hex pattern Die to crimp aluminium Terminal end from 25mm² to 400mm² and copper terminal end from 25mm² to 300mm²
- It is a multi stroke crimping Tools with ratchet pin lock, rapid² motion and has a maximum opening of 902
- It is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- It develops a maximum pressure 100 kN. Packed in carrying Regzine Bag.

Capacity:25mm² to 400mm² Dies:H-25 to H-400 (11 Sets) Seight:5.800 Kg.



MRP: Rs. 325/-

Cutting range: Up to 25mm²




Weight: 180grm.

TIGER 22

- For cutting copper and aluminium conductors as well as multple stranded cables can be cut up to 25mm2.
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation
- Double Edge type, tip edge is suitable for cutting cables
- inside of narrow space like a switchboard

TIGER 38



- Not suitable for steel wire and wire ropes Clean and smooth cut without crushing and deformation
- Double Edge type, tip edge is suitable for cutting cables
- inside of narrow space like a switchboard



Length: 165mm

MRP: Rs. 425/-

Cutting range: Up to 38mm²

Length: 210mm

Weight: 300grm.

TIGER 35

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes Clean and smooth cut without crushing and deformation
- Favourable transmission ration due to double lever
- BLADE high-grade chrome vanadium electric steel, forged, oil-hardened.



MRP: Rs. 625/-

Cutting range: Up to 35mm²

Length: 160mm



Weight: 125grm.

TIGER 70(A)

- This cable cutter is with equipped with a spring and safty lock for easy storage
- For cutting copper and aluminium conductors as well as multple standed cables can be cut up to 70mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation



MRP: Rs. 775/-

Cutting range: Up to 70mm²

Length: 215mm

Length: 385mm



Weight: 325grm.

Weight: 500grm.

TIGER 70(B)

- This 100 inch wire cutter has good toughness, sharp cutting, high hardness, strong and durable.
- For cutting copper and aluminium conductors as well as multple standed cables can be cut up to 70mm².
- Not suitable for steel wire and wire ropes
- Clean and smooth cut without crushing and deformation



MRP: Rs. 1150/-

Cutting range: Up to 125mm²



Weight: 750grm.

TIGER - 125

For cutting copper and aluminium conductors as well as multple stranded cables.

Not suitable for steel wire and wire ropes Favourable transmission ration due to double lever Forged, oil-hardened, replacable blades

Handles material steel.



MRP: Rs. 2300/-


Cutting range: Up to 250mm² Length: 560mm



Weight: 1.200Kg.

TIGER - 250

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ration due to double lever
- Forged, oil-hardened, replacable blades Handles material steel.



MRP: Rs. 3450/-Cutting range: Up to 500mm² Length: 745mm



Weight: 2.800Kg.

TIGER - 500

- For cutting copper and aluminium conductors as well as multple stranded cables.
- Not suitable for steel wire and wire ropes
- Favourable transmission ration due to double lever
- Forged, oil-hardened, replacable blades Handles material steel.



MANUAL CUTTING TOOLS



For cutting off Prestressed steel wire which is smaller than $100 \, \text{mm}^2$ & for cutting off ACSR (Aluminium conductors cable Steel-Reinforced) which is smaller than 620mm²

MRP: Rs.13,500/-Weight: 3.600Kg.



MRP: Rs.20,000/-Weight: 4.00Kg.



Weight: 1.200Kg. MRP: Rs.4,250/-



For cutting off Copper,Aluminium & Armoured cable which smaller than 500mm^{2}

MRP: Rs.8,750/-Weight: 3.200Kg.



Steel wire ropes

JAGUAR-75



For cutting o ffCopper, Aluminium & Armoured cable which is smaller than 3 x 120mm² or Ø 75mm Also for cutting o ff3600 pairs of communication cables.

MRP: Rs.10,500/-Weight: 3.700Kg.







For cutting off Copper, Aluminium & Armoured cable which is smaller than 3×185 mm² or \emptyset 95mm

Weight: 5.200Kg. MRP: Rs.14,000/-



is smaller than 3 x 300mm² or Ø 100mm

MRP: Rs.26,000/-Weight: .6.500Kg.



MRP: Rs.32,500/-Weight: 9.300Kg.





MANUAL CUTTING TOOLS

LION **AUTOMATIMATIC WIRE STRIPPER** Pressure adjustable screw UDSUIEP Cutter Length stop

- 2 in 1 wire stripper and cutter
- Self adjusting mechanism, according to wire size which
- provides excellent wire stripping without damaging the conductor
- Light weight, handy and with excellent durability
- During stripping, the wire is held firm by clamping jaws

MRP: Rs. 365/-Stripping: 0.2mm2 to 6.0mm2 Weight: 210 grm.

ZEBRA

Multi-functional AUTOMATIMATIC WIRE STRIPPER



- Stripping diameter can be adjusted automatically for different wire cross
- Zebra wire stripper & cutter is easy stripping without any adjustment.
- Multifunction made of steel by special hardened with long lifetime.

MRP: Rs. 690/-Stripping: 0.2mm2 to 6.0mm2 Weight: 300 grm.



PUMA CUTTER PUMA CUTTER & STRIPPER



5" Small Wire Cutter/Nipper With Internal Spring MRP: Rs. 195/-Weight: 60 grm.

MRP: Rs. 310/-

Length: 170mm

Weight: 130 grm.



MRP : Rs. 325/-Weight: 130 grm. Stripping capacity: 0.6-2.6mm²

PANTHER A-B

CABLE KNIFE



Length: 185mm Weight: 90grm

MRP: Rs. 600/-

Length: 180mm Weight: 75grm MRP: Rs. 600/-

Blade made of stainless steel Ergonomically designed safety handle, with transparent protective cap

PANTHER PRIME

CABLE KNIFE



- Efficiently strip round cables with our cable knife. Its design allows for precise circular cuts around the circumference and longitudinal cuts along the length, ensuring clean removal of outer insulation without damaging
- It is applicable for stripping circular PVC cable, rubber cable, sillicon cable

MRP: Rs. 600/- Stripping: F8mm² to 28mm² Length: 138mm Weight: 150grm















Put the tool vertically

Cutting vertically

Rotate the tool &

Cutting finished

MRP: Rs. 2,700/- Stripping: above F25mm

Length: 155mm Weight: 225grm

PANTHER MAX (PG-5)

- For removing allI layers of insulation on cables with diameters of over 25mm.
- Suitable for longitudinal and circular cutting. Cutting depth can be adjusted from 0-5mm.
- Replaceable blade (both side can used)
- Changing the blade: By removing the adjusting screw, the double-ended blade can be changed.





Communication cable

MV Cable (PVC Constructed)





LV Cable (PVC Insulation) MV Cable (PVC Insulation)



PNEUMATIC CRIMPING TOOLS

Handle Crimping Die Foot Switch

VAAYU-10

The machine is driven by dual-action normal cylinder, which has advantages of high efficience and quality in crimping force and speed. The machine is fit for crimping many kinds of terminals. The die sets are interchangeable with our manual crimping tools. So we provide you all kinds of die sets for crimping.

Accessories

6 Nos die set .one foot air valve, two air pipes.



END SEALING FERRULES For 0.25-10mm²





END SEALING FERRULESFor 10-35mm²





INSULATED TERMINAL For 1-6mm²





Put the terminal in the jaw of the die and press the foot switch to crimp it

Choose the required die

from the 6 dies provided with the tool.





SOLAR MC4 TERMINAL For 2.5,4,6mm²





The dies can be changed by using the L-key after cutting of the air supply

Specification
Description
Outsut favor

- 33 d) (p 3.01)	
Output force	1.3 T
Applicable air pressure	0.6-0.8 MPa
Gross Weight	5.58Kg.
Net Weight	4.71Kg.



NON-INSULATED TERMINAL





OPEN BARREL TAB TERMINAL For 0.5-6mm²



Terminal Locating Board

MRP: Rs 23,000/-

With the positioning plate, the terminal can be inserted into the center position of the die precisely, so as to ensure the balance of the pressure on each side and improve the speed and




Specification

Description	VAAYU CHAKRA-6
Range of Application	0.08-10mm ²
Output force	13.5 kN
Applicable air pressure	0.6-0.8 MPa
Gross Weight	5.82Kg.
Net Weight	5.49Kg.

MRP: Rs 28,000/-

VAAYU CHAKRA 6





Adjust the size of the crimping interface according to the diameter of the crimping terminal. (In the positive direction, the diameter is increased; in the opposite direction, the diameter is decreased)

The traditional fixed mould is replaced by the square crimping mould, which may perform flexible crimping connection to end selling ferrules terminals.

Since the square can be adjusted steplessly, the crimping specification can be set freely within $0.08\text{-}10\text{mm}^2$.

After crimping the terminals look beautiful in square without any flash edge.

The machine is driven by dual-action normal cylinder, which has advantages of high efficiency and quality in crimping force and speed.

Accessories: one foot air valve. two air pipes.



HYDRAULIC CRIMPING TOOLS



HEXAGONAL TYPE DIES

VARUN-400

Hydraulic Compression Light Weight Heavy Duty Tools.

Compact Design Tool with a two stage setting of high & low pressure for quick oil output.

Compression Force - 16 Metric Tons.

Maximum Stroke - 32mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Flip Top Head

Made from alloy steel (EN19) and duly tempered and hardened high

durability and long life

Do not pump when dies are not in place.

Capacity: 25mm2 to 400mm2 Dies: H-25 to H-400 (11 Sets)

Weight: 13.900 kg.



With Hand Pump MRP: Rs. 34,500/- With Foot Pump MRP: Rs. 38,500/-

HEXAGONAL TYPE DIES

BHOOMI-400

Hydraulic Compression Light Weight Heavy Duty Tools.
Compact Design Tool with a two stage setting of high & low pressure for

quick oil output.

Compression Force - 16 Metric Tons.

Maximum Stroke - 24mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Flip Top Head

Made from alloy steel (EN19) and duly tempered and hardened high

durability and long life

Do not pump when dies are not in place.

Capacity: 25mm2 to 400mm2 Dies: H-25 to H-400 (11 Sets)

Weight: 12.500 kg.

HEXAGONAL TYPE DIES

SPICE-400

Hydraulic Compression Light Weight Heavy Duty Tools.

Compact Design Tool with a two stage setting off high & low pressure for quick oil output.

Compression Force - 16 Metric Tons.

Maximum Stroke - 24mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Flip Top Head

Made from alloy steel (EN19) and duly tempered and hardened high

durability and long life

Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² Dies: H-25 to H-400 (11 Sets)

Weight: 14.200 kg.





With Hand Pump MRP: Rs. 34,500/- With Foot Pump MRP: Rs. 38,500/-

HEXAGONAL TYPE DIES

DHANUSH-400

Hydraulic Compression Light Weight Heavy Duty Tools.

Compact Design Tool with a two stage setting of high & low pressure for

quick oil output.

Compression Force - 16 Metric Tons.

Maximum Stroke - 24mm Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Flip Top Head

Made from alloy steel (EN19) and duly tempered and hardened high

durability and long life

Do not pump when dies are not in place.

Capacity: 25mm² to 400mm² Dies: H-25 to H-400 (11 Sets)

Weight: 15.800 kg.



With Hand Pump MRP: Rs. 34,500/- With Foot Pump MRP: Rs. 38,500/-

HEXAGONAL TYPE DIES

TEJAS-630



Compact Design Tool with a two stage setting of high & low pressure for quick oil output.

Compression Force - 25 Metric Tons.

Maximum Stroke - 25mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Flip Top Head

Made from alloy steel (EN19) and duly tempered and hardened high

durability and long life

Do not pump when dies are not in place.

Capacity: 50mm² to 630mm² Dies: H-50 to H-630 (11 Sets)

Weight: 17.900 kg.



With Hand Pump MRP: Rs. 48,000/- With Foot Pump MRP: Rs. 52,000/-



HYDRAULIC CRIMPING & CUTTING TOOLS



With Hand Pump MRP: Rs. 58,000/- With Foot Pump MRP: Rs. 62,000/-

HEXAGONAL TYPE DIES

PRITHVI-1000

Heavy Duty Hydraulic Compression Tools.

Two stage setting of high & low pressure for quick oil output.

Maximum Pressure - 45 Metric Tons.

Maximum Stroke - 22mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Made from alloy steel (EN19) and duly tempered and hardened

for high durability and long life

Do not pump when dies are not in place.

Capacity: 50mm² to 1000mm²

Dies: H-50 to H-1000 (13 Sets) Weight: 23.500 kg.

LIBINSHI CO

With Hand Pump MRP: Rs. 54,000/- With Foot Pump MRP: Rs. 58,000/-

DHANUSH-1000

Heavy Duty Hydraulic Compression Tools.

Two stage setting of high & low pressure for quick oil output.

Maximum Pressure - 30 Metric Tons.

Maximum Stroke - 22mm

Operating Pressure - 10,000 PSI / 700 Kg. / cm²

Made from alloy steel (EN19) and duly tempered and hardened

for high durability and long life

Do not pump when dies are not in place.

Capacity: 50mm² to 1000mm²

Dies: H-50 to H-1000 (13 Sets) Weight: 19.000 kg.



With Hand Pump MRP: Rs. 45,000/- With Foot Pump MRP: Rs. 49,000/-

MASTER-85KF

Cuts Cu/Al cable and Armoured Cu/Al cable.

Jaws slide open quickly to save time between cuts.

Jaws are made of special steel and are duly hardened and tempered for long life and durability

Light weight and easy to use.

Operated by hydraulic pump with rated pressure 700 bar.

Output force (ton) 8.5

Cutting range:

Æ 85mm Cu/Al cable and Armoured Cu/Al cable





With Hand Pump MRP: Rs. 36,000/- With Foot Pump MRP: Rs. 40,000/-

MANGAL-85

Cuts Cu/Al cable and Armoured Cu/Al cable.

Jaws slide open quickly to save time between cuts.

Jaws are made of special steel and are duly hardened and tempered for long life and durability

Light weight and easy to use.

Operated by hydraulic pump with rated pressure 700 bar.

Output force (ton) 8.5

Cutting range:

Æ 85mm Cu/Al cable and Armoured Cu/Al cable

Total Weight: 17.700 Kg.



HYDRAULIC CRIMPING TOOLS

HPCT-20A/HPCT-20B

RING TYPE DIES



HPCT-20A RING TYPE DIES Capacity: Up to 300mm² Weight: 15.100Kg.

Dies : R-11 to R-16 (6 Sets) **MRP :** 29,000/-



HPCT-20B RING TYPE DIES Capacity: Up to 400mm² **Weight:** 15.100Kg. **Dies :** R-11 to R-18 (8 Sets)

MRP: 30,500/-



HPCT-150A/HPCT-150B RING TYPE DIES



HPCT-150A **RING TYPE DIES** Capacity: Up to 400mm² Weight: 26.500Kg. Dies: R-11 to R-18 (8 Sets)

MRP: 37,000/-

HPCT-150B RING TYPE DIES Capacity: Up to 400mm²

Weight: 26.500Kg. Dies: R-11 to R-23, R-27,

R-29. (15 Sets) MRP: 49,500/-

HPCT-150A/HPCT-150B

HEXAGONAL TYPE DIES



HPCT-150A **HEXAGONAL TYPE DIES** Capacity: 50 to 400mm² Weight: 26.500Kg.

Dies : R-50 to R-400 (9 Sets) MRP : 39,500/-

HPCT-150B **HEXAGONAL TYPE DIES** Capacity: 50 to 1000mm² Weight: 26.500Kg.

Dies: R-50 to R-1000 (13 Sets)

MRP: 49,500/-



SAGAR-400

FOOT OPERATED HYDRAULIC TOOL **HEXAGONAL TYPE DIES**

- SAGAR-400 Foot Operated Hydraulic Tool is designed to Crimp Copper/Aluminium Cable Terminal Ends from 25mm² to 400mm² Crimping Jack and Hydraulic Pump connected with a 2 meter Hose pipe.

 Mechanism Provided in the pump controls the pressure developed while
- crimping the Terminal and the preset safety valve prevent excessive pressure.
- Mounted on a wheeled trolley.
- Packed in steel case.

 $\textbf{Capacity}: 25 \text{mm}^2 \text{ to } 400 \text{mm} \ ^2 \textbf{Dies}: \text{H--25 to H--400(11Sets)}$

: 17.500 Kg. Weight

PRICE LIST 2024 -



HYDRAULIC CRIMPING & CUTTING TOOLS



AAKASH-400 /AAKASH-500

HYDRAULIC DIELESS

AAKASH-400 & AAKASH-500 is a Dieless flip-top Hand Operated Hydraulic Crimping Tool with a universally rotating Crimping Head through 360°.It has a Hydraulic pump made from drawn alloy steel Rod fitted with an automatic "BLOW-OFF" Valve preset at 8500PSI. To prevent excessive pressure and ensure fool prof Crimping. A clear click sound is heard on completion of crimping of cable Terminal End.

An Extra feature is the novel presence of a specially designed CLASSIC handle to lock. The crimping jaws in any Predetermined position to avoid unnecessary strokes while Crimping the same size of Cable Terminal End. This tool is most ideal for Cable Terminal End as well as inline connectors ferrules. It is also most suitable for tension and non-tension jointing of both AAC ACSR conductor without the need for any separate steel sleeve for ACSR Conductors.

AAKASH-400

Capacity: Up to 400mm² Weight: 5.800 kg. MRP: 22,500/-

AAKASH-500

Capacity: Up to 500mm² Weight: 5.800 kg. MRP: 23,500/-



MRP.: 28,000/-Capacity: 25mm² to 400mm² Dies: H-25 to H400 (11 Sets) Weight: 8.500Kg.

HEXAGONAL TYPE DIES

ASHOKA-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output. For use with interchangeable Die set 25mm² to 400mm²

Reliable, Positive Crimping mechanism incorporating calibrated pressure release valve (ENSURE CORRECT CRIMPING FORCE)

It has a Flip Flop Head

Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made. Dies are available for compressing conductors cable & coded ferrules. Manufactured from High grade alloy steel.

Compression Force - 16 metric Tons.

Maximum stroke ASHOKA-400-32mm

To start operating the tool tighten the Release valve & after compression is

complete, loose the release valve.

It has an operating pressure at 10,000 PSI / 700Kg/cm² WARNING: Do not pump when dies are not in place.



MRP.: 28,000/-

Capacity: 25mm2 to 400mm2

Dies: H-25 to H400 (11 Sets) Weight: 8.500Kg.

HEXAGONAL TYPE DIES

SHAKTI-400

Hand Operated Hydraulic Compression Light Weight, Compact Design tool, with a two stage setting of high & low pressure for quick oil output.

For use with interchangeable Die set 25mm² to 400mm² Reliable, Positive Crimping mechanism incorporating calibrated pressure

release valve (ENSURE CORRECT CRIMPING FORCE) SWIVEL "G" Type Head and Head part can rotate at 180°

Compact light weight tool designed to accept industry standard hexagonal dies, reduces operator effort & ensures consistent Compression are made.

Dies are available for compressing conductors cable & coded ferrules.

Manufactured from High grade alloy steel.


Compression Force - 16 metric Tons.

Maximum stroke SHAKTI-400-24mm

To start operating the tool tighten the Release valve & after compression is complete, loose the release valve. It has an operating pressure at 10,000 PSI / 700Kg/cm² WARNING: Do not pump when dies are not in place.

HYDRAULIC CUTTING TOOL

MARS 85



Flip top cutting head rotates 350°.

To start operating the tool tighten the Release valve & after compression is complete, loose the release valve.

Cutting range:

Ø 85mm Cu/Al cable and Armoured Cu/Al cable.





BATTERY POWERED CRIMPING & CUTTING TOOLS:



JUPITER-400

(with Continuous Crimping Function)

Crimping force: 120kN Crimping range: 16-400mm² **Crimping Cycle**: 5s-8s (depends on the size of the cable) Voltage : 18v Capacity : 4.0 Ah Weight : approx. N.W 7kg G.W 15kg Package : Plastic box : Fast Charger with LED display : 1pc. Accessories Battery: 2pcs. Dies. : 16,25,35,50,70,95,120,150,185,240,300,400mm²

., ., ., ., ., ., ., ., ., .,

Warning: Do not use when dies are not in place.



JUPITER-630 (with Continuous Crimping Function)

Crimping force : 250kN

Crimping range : 16-630mm²

Crimping Cycle : 5s - 8s (depends on the size of cable)

Voltage : 18v

Capacity : 4.0 Ah

Weight : approx. N.W.7.5kg G.W. 19.5kg

Package : Plastic box

Accessories : Fast Charger with LED display : 1pc.

Battery: 2pcs. .

Dies.: 16,25,35,50,70,95,120,150,185,240,300,400,500,630mm²

Warning: Do not use when dies are not in place.



JUPITER-85 (with Continuous Cutting Function)

Crimping force	: 120kN
Cutting range	: Ø 85mm (Cu/AL and armoured cable)
Voltage	: 18v
Capacity	: 4.0 Ah
Weight	: approx. N.W .7.5kg G.W. 13.5kg
Package	: Plastic box
Accessories	: Fast Charger with LED display : 1pc. Battery : 2pcs



JUPITER-400+85

with Continuous Crimping/ Cutting Function)

This is a 2 in 1 Cutting and Crimping tool. It merges cutting and crimping in a single, versatile tool, offering the best of both worlds with its interchangeable head feature. This multipurpose tool embodies the peak of innovation, designed for professionals seeking efficiency.

Crimping force	: 120kN
Crimping range	: 16-400mm²
Crimping Cycle	: 5s-8s (depends on the size of the cable)
Cutting range	: Ø85mm (Cu/AL and armoured Cable)
Voltage	: 18v Capacity : 4.0 Ah
Capacity	: approx. N.W 11 kg G.W 19.5kg
Weight	: Plastic box
Package	: Fast Charger with LED display : 1pc.
Accessories	: Battery : 2pcs.
Dies.: 16,25,35,50,	70,95,120,150,185,240,300,400mm²

Warning: Do not use when dies are not in place.



BATTERY POWERED CRIMPING TOOL





Jupiter-50X Battery Powered Crimping Tool is vertical cold press clamping tool. It is a speedy, simple-to-use, safe crimping tool that can be adjusted for a variety of applications. Due to its highly controlled action, the tool also produces more accurate and consistent results than are possible using a hand-operated tool. We provide all-copper motor strong power, which can let you easily handle high-intensity work. A variety of replaceable dies can be selected and used according to the needs. Jupiter-50X gives excellent crimping results with minimum effort for cable lugs and connectors up to 50sqmm. This tool combines the benefits of manual crimping tools with the convenience of battery powered hydraulic crimping tools.

- Simple and safe: one-button operating concept for controlling all tool functions
- Electronic control with locking function monitors full closing of the dies
- Very low weight and high speed for maximum efficiency
- Simple and safe: automatic retraction when operation is complete
- Manual retract as required
- Powerful drive technology for fatigue proof operations
- Powerful 18 V Li-lon battery with charge status display
- LED for work area illumination

Warning: Do not use when dies are not in place.



NON-INSULATEDTERMINAL For 1.5/2.5/8/10mm²



END SEALING FERRULES For 0.5/1/1.5/2.5/4/6mm²



OPEN BARREL TAB TERMINAL For 0.5/1/1.5/2.5/4/6mm²

INSULATED TERMINAL

For 1.5/2.5/4-6mm²



END SEALING FERRULES For 6/10/18mm²



END SEALING FERRULES For 25/35/50mm²



HEXAGON TYPE CRIMPING NON-INSULATED TERMINAL FOR 1/1.5/2.5/4/6/10mm²

MRP: Rs. 65,000/-

Max. Output force :	16kN
Crimping Range :	0.5-50mm ² END SEALING FERRULES
	0.5-10mm ² NON-INSULATED TERMINAL
	0.5-6mm² OPEN BARREL TAB TERMINAL
	0.5-6mm² INSULATED TERMINAL
Battery :	18.v 2.0Ah Li-lon
Weight :	approx. 5.0kg
Package :	Plastic box
Accessories :	Battery: 2pcs. Charger: 1pc. Dies: 7pcs.

ELECTRIC POWERED TOOLS



BIJLEE-400

- Electric Power Cable Crimping Tool Cu/Al TERMINAL Crimping Pliers Range 25-400mm²
- Plug-in hydraulic crimping pliers Tight and powerful crimping.
- Powerful Core Machine Compatibility.
- Anti overload / anti burning machine provides strong output power guarantee.
- Accurate line pressing Head can rotate 360°

This crimping tool does not have automatic release mechanism, it has to be done manually when both dies make contact.


Warning: Do not use when dies are not in place.

Voltage:	220V/50Hz
Output:	120 kN
Rated Power:	1100W
Load Power:	2200W
Weight:	approx. N.W. 9.5Kg. G.W.14.5kg
Package:	Plastic box.
Crimping Range :	25, 35, 50,70,95,120,150,185,240300,400mm ²

PRICE LIST 2024 -



DIN RAIL CUTTER & PVC TRUNKING CUTTER



MRP: Rs.7,000/-


DIN RAIL CUTTER

The new version of manual rail cutter has a dual scale ruler included, which allows you to quickly adjust the cutting length

JDRC

JPVC

- and easily cut rails to your desired sizes. Featuring 2-groove design. Come with long lever handle.
- This double groove rail cutter can precisely cut both steel & aluminum Din rails at a time with less effort.
- User-friendly Handle Design ,made of high-quality rubber, soft and comfortable tactile sensation.
- Sharp blade for smooth & fast cutting neat incision with no burrs.





PVC TRUNKING CUTTER

- The new version of PVC trunking cutter has a dual scale ruler included, which allows you to quickly adjust the cutting length and easily cut rails to your desired sizes.
- Made of high quality materials
- Labour-saving design for high work efficiency Sharp blade, neat cutting without burrs
- User-friendly Handle Design, made of high-quality rubber with soft and comfortable tactile sensation.

NOTE: This products can only used to cut open grooves of PVC materials and not any other material to avoid damage to blade.

- CUTTING ANGLE 45° / 90°
- WEIGHT 4 Kg.

FASTENING TOOLS FOR CABLE TIES







NETWORK / TELECOM TOOLS

JNT



Network crimping tool for 4P4C, 6P6C,8P8C modular plug, stripping round lan cable MRP: Rs. 325/-

JNT PLUS

2 in 1 Network Crimping Tool



Network crimping tool for 6P6C, 8P8C modular plug, stripping round lan cable MRP: Rs. 425/-

JNT PLUS-R

2 in 1 Network Crimping Tool



Network crimping tool with ratchet for 6P6C,8P8C modular plug, stripping round lan cable MRP: Rs. 525/-

JNT PRIME

2 in 1 Network Crimping Tool



Network crimping tool with ratchet for 6P6C,8P8C Pass-Through modular plug, stripping round lan cable MRP: Rs. 950/-

JPT

Punch Down Tool



MRP: Rs.200/-

JPT PLUS A

Punch Down Tool



MRP: Rs.515/-

JPT PLUS B

Punch Down Tool



MRP: Rs.425/-

JPT PRIME



MRP: Rs.950/-

JCS A
Multi functional Coaxial & Lan Cable Stripper



MRP: Rs.275/-

JSC B Multi functional Coaxial **Cable Stripper**



MRP: Rs.215/-

JCC A

Coaxial Compression Crimping Tool



MRP: Rs.390/- Capacity: RG6/RG59

COAXIAL CRIMPING TOOL-RG55,58,59,62,5,6,21,140,141, 142,143,210,212,222, 223,303,304,400, BELDEN 8279,8281,9231,9141



CX 01



MRP: Rs.1,100/- Capacity: 8.1,6.5,5.4,2.6,1.72mm Weight: 575grm.

COAXIAL CRIMPING TOOL-RG58,59,62,8X,140,142,174, 210,223,303,400, FIBER OPTIC, BELDEN 8279





MRP: Rs.1,100/-Capacity: 6.5,5.4,3.25,2.0,1.72,1.0mm Weight: 575grm.

PRICE LIST 2024 -



PUMP

HPCT-20/HPCT-150



MRP: Rs. 15,500/-

- Hand Operated Hydraulic pump is designed to Crimp Copper/Aluminium
 Cable Terminal Ends for **HPCT-20** up to 400mm² & HPCT-150 up to 1000mm³
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Reliable, Positive Crimping mechanism incorporating calibrated.
- In non-working condition keep the release value loose.

SAGAR-400



MRP: Rs. 16,500/-

- Foot Operated Hydraulic pump is designed to Crimp Copper/Aluminium Cable Terminal Ends for 400mm²
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.

BHOOMI-400, VARUN-400, SPICE-400, DHANUSH-400, TEJAS-630 PRITHVI-1000, DHANUSH-1000, MANGAL-85 & MASTER-85KF



MRP: Rs. 21,500/-

- MRP: Rs. 17,500/-Pump is Designed with two stage setting of high & low pressure for quick oil output.
- Manual operating type i.e. Hand & Foot.
- Working pressure 1000PSI i.e. 700kg/cm2.
- Mechanism provided in the pump controls the pressure developed while Crimping the Terminals & the preset safety valve prevents excess pressure.
- To start operating the pump tighten the Release vale & after compression is complete, loose the release valve.
- Oil displacement per stroke at low pressure stage is 13 cc & at high pressure stage 2.3cc
- Oil grade Hydrol 68 Weight 12Kg.
- Volume (mm) Hand 730 x 180 x180. Foot 620 x 220 x280. Oil capacity Hand -1000/700 Foot 600/350.

JACK

HPCT-20



MRP: Rs. 16,500/-

HPCT-150



MRP: Rs. 22,500/-

SAGAR-400



MRP: Rs. 18,500/-

SPICE-400



MRP: Rs. 19,500/-

VARUN-400



MRP: Rs. 19,500/-



MRP: Rs. 19,500/-

DHANUSH-400



MRP: Rs. 19,500/-

TEJAS-630



MRP: Rs. 22,500/-

PRITHVI-1000



MRP: Rs. 30,500/-

DHANUSH-1000



MRP: Rs. 26,500/-

MANGAL-85



MRP: Rs. 21,000/-

MASTER-85KF



MRP: Rs. 34,000/-



HOSE PIPE

1/4" B.S.P FOR HPCT-20/HPCT-150 SAGAR-400

Length: 2 meters MRP.:1,600/-

MAKE: PARKER



BATTERY

Lithium-ion battery for Jupiter-400/ Jupiter-630/ Jupiter-85/Jupiter-400+85 MRP.:Rs.6500





3/8" B.S.P

FOR VARUN-400/BHOOMI-400 SPICE-400/DHANUSGH-400/TEJAS-630 DHANUSH-1000/PRITHVI-1000 MASTER-85KF/MANGAL-85 Length: 2 meters MRP:3400/-MAKE:PARKER

CHARGER



Fast Charger with LED Display for Jupiter-400/ Jupiter-630/ Jupiter-85/ Jupiter-400+85 MRP.:Rs.7000



ACC-50 Anti Corrosive Compound for electrical joints





Anti Corrosive Compound for electrical joints Prevents corrosion of electrical joints Prevents ingress of moisture in electrical joints Prevents oxidation of the surface of wire conductor Useful for Aluminium to Aluminium or Aluminium to copper joints MRP: Rs.55/-Weight: 50grm.

PRICE LIST 2024 .



DIES

GRD-95/GRD-185 RING TYPE DIES



R-1,R-2,R-3.R-4,R-5, R-6,R-7,R-9,R-10,R-11, MRP: Rs.340/-Each

PUNCH TYPE DIES R-12,R-13, MRP: Rs.460/-Each



H-10.H-16.H-25.H-35 H-50,H-70,H-95 H-120,H-150,H-185 MRP: Rs.380/-Each

GRD-95/GRD-185

HEXAGONAL TYPE DIES

SURYA-400 **HEXAGONAL TYPE DIES**



H-25,H-35 H-50.H-70.H-95 H-120,H-150,H-185, H-240,H-300,H-400 MRP: Rs.680/-Each

SANGRAM-400 **HEXAGONAL TYPE DIES**



H-25,H-35 H-50,H-70,H-95 H-120,H-150, H-185.H-240. H-300,H-400. MRP: Rs.890/-Each

VISHAL-185 **RING TYPE DIES**



R-1,R-2,R-3.R-4,R-5, R-6,R-7,R-9,R-10, R-11, R-12, R-13, MRP: Rs.420/-Each

VISHAL-185 **HEXAGONAL TYPE DIES**



H-10,H-16,H-25,H-35 H-50,H-70,H-95 H-120.H-150.H-185 MRP: Rs.450/-Each

SAGAR-400 **HEXAGONAL TYPE DIES** H-25,H-35



H-50,H-70,H-95 H-120,H-150, H-185, H-240, H-300, H-400. MRP: Rs.1,080/-Each

BHOMI-400 & SHAKTI-400, SPICE-400 **HEXAGONAL TYPE DIES**



H-25,H-35,H-50, H-70,H-95,H-120, H-150,H-185,H-240, H-300.H-400. MRP: Rs.1250/-Each

HPCT-20 RING TYPE DIES



R-11, R-12, R-13, R-14.R-15 MRP: Rs.1,300/-Each



R-16.R-17.R-18. MRP: Rs.2,200/-Each

H-50,H-70 H-95, H-120, H-150, H-185, H-240.H-300. MRP: Rs.1,350/-Each

HPCT-20 **HEXAGONAL TYPE DIES**



H-400. MRP: Rs.2,600/-Each

HPCT-150 RING TYPE DIES



R-4,R-5,R-6,R-7, R-9,R-10, R-11, R-12,R-13,R-14 R-15,R-16,R-17 R-18 MRP: Rs.2,400/-Each



R-19,R-20,R-21 R-22,R-23,R-27,R-29. MRP: Rs. 2,750/-Each

H-50,H-70 H-95, H-120, H-1<mark>50,</mark> H-185, H-240,H-300, H-400. MRP: Rs.2,550/-Each

HPCT-150 HEXAGONAL TYPE DIES



H-500,H-630, H-800,H-1000. MRP: Rs.3,500/-Each

ADOPTER BLOCK



ADOPTER BLOCK FOR HPCT-150 TOOL TO USE GRD-95, HPCT-20 DIES MRP: Rs.3,900/-Each

ASHOKA-400 HEXAGONAL TYPE DIES



H-25,H-35,H-50 H-70,H-95,H-120, H-150,H-185, H-240, H-300, H-400. MRP: Rs.1.400/-Each

VARUN-400 **HEXAGONAL TYPE DIES**



H-25,H-35 H-50,H-70,H-95 H-120,H-150, H-185, H-240, H-300, H-400. MRP: Rs.1,400/-Each

DHANUSH-400 HEXAGONAL TYPE DIES



H-25,H-35,H-50, H-70,H-95,H-120 H-150,H-185,H-240, H-300,H-400. MRP: Rs.1,400/-Each

TEJAS-630 **HEXAGONAL TYPE DIES**



H-50.H-70.H-95 H-120,H-150, H-185, H-240, H-300, H-400, H-500.H-630 MRP: Rs.2.500/-Each

DHANUSH-1000 HEXAGONAL TYPE DIES



H-50.H-70.H-95 H-120,H-150,H-185, H-240,H-300, H-400, H-500,H-630 H-800.H-1000. MRP: Rs.3,400/-Each

HEXAGONAL TYPE DIES

CRIMPING COPPER & ALUMINIUM TERMINAL ENDS. FITTED TO GRD-95, GRD-185, VISHAL-185, SANGRAM-400

SURYA-400, SAGAR-400, HPCT-20, HPCT-150, BHOOMI-400, & VARUN-400, DHANUSH-400, DHANUSH-1000.


٠.	a valon 400, bilanosii 400, bilanosii 1000.											
DIE REF.	CUS,SOCKET	ALS.SOCKET mm ²	DIE REF.	CUS, SOCKET	ALS.SOCKET mm ²							
H-10	16	10	H-185	225/ 240	185							
H-16	25	16	H-240	300	225/ 240							
H-25	35	25	H-300	400	300							
H-35	50	35	H-400	500	400							
H-50	70	50	H-500	630	500							
H-70	95	70	H-630	800	630							
H - 95	120	95	H-800	1000	800							
H-120	150	120	H-1000		1000							
H-150	185	150										

SUITABLE DIE CHART

RING TYPE DIES CRIMPING COPPER & ALUMINIUM TERMINAL ENDS, FITTED TO GRD-95. GRD-185. VISHAL-185.HPCT-20.HPCT-150.

GRD-95, GRD-185, VISHAL-185, HPC1-20, HPC1-150.										
DIE REF.	CUS.SOCKET mm ²	ALS, SOCKET mm ²	DIE REF.	CUS.SOCKET mm ²	ALS, SOCKET					
R-1	10 CA	10 AA	R-14	240 CA	225 AA					
R-2	16 CA	16 AA	R-15	300 CA	240 AA					
R-3	25 CA		R-16		300 AA					
R-4	35 CA	25 AA	R-17	400 CA						
R-5		35 AA	R-18	500 CA	400 AA					
R-6	50 CA		R-19	625 CA						
R-7	70 CA	50 AA	R-20		500 AA					
R-9	95 CA	70 AA	R-21		625 AA					
R-10	120 CA	95 AA	R=22	1000 CA						
R-11	150 CA	120 AA	R-23	800 CA						
R-12	185 CA	150 AA	R-27		800 AA					
R-13		185 AA	R-29		1000 AA					

PRITHVI-1000 **HEXAGONAL TYPE DIES**



H-500,H-630 H-800,H-1000.

MRP: Rs.3,400/-Each

SANJAY electrical

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apartment, First Floor, 527 Budhwar Peth, Tapkir Galli, Pune - 411002.

2 : 24456774, 24491816, 66029641 / 642. M: 7875758405 / 08. 7875758265 / 7875758239

Email: sales@sanjayelectricalspune.com accounts@sanjayelectricalspune.com www.sanjayelectricalspune.com

TERMS & CONDITIONS:

- PRICES ARE SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE.
- GST EXTRA AS APPLICABLE
- GOODS SOLD WILL NOT BE TAKEN BACK
- THIS PRICE LIST CANCELS ALL OUR PREVIOUS PRICE LISTS.
- SUBJECT TO PUNE JURISDICTION ONLY.



JAINSON ROTARY SWITCHES PRICE LIST EFFECTIVE FROM 01-10-2024

	ΛF		

Rating	pole	on/off	new	2way	new	2way &	new	3way &	new	4way	new
AMPS				no/off		off		off		no/ off	
10	1	1012	266	1013A	313	1013B	334	1013C	366	1013D	418
10	2	1023	313	1025A	404	1025B	437	1026C	485	1026D	622
16	1	L12	281	L13A	319	L13B	348	L13C	377	L13D	437
16	2	L23	319	L25A	419	L25B	457	L26C	524	L26D	587
25	1	N13	348	N13A	419	N15B	487	N15C	511	N15D	530
25	2	N25	419	N25A	579	N29B	685	N29C	791	N29D	877
40	1	P12	666	P13A	755	P13B	773	P13C	847	P13D	842
40	2	P23	787	P25A	1006	P25B	1105	P26C	1159	P26D	1179
60	1	Q13	732	Q13A	904	Q15B	1032	Q15C	1073	Q15D	1111
60	2	Q25	1159	Q25A	1085	Q29B	1648	Q29C	2021	Q29D	2037
100	1	R14	1625	R17A	3146	R17B	3180	R17C	3230	R17D	3692
100	2	R27	2251	R211A	4816	R21B	5290	R211C	5563	R211D	6279

THREE PHASE 440VOLTS ,AC,50Hz[WORKING VOILTAGE 250 TO EARTH]

10	3	L34	348	L37A	458	L37B	529	L39C	674	L39D	738
10	4	L45	377	L49A	619	L49B	685	L412C	893	L412D	940
16	3	M34	401	M37A	603	M37B	619	M39C	913	M39D	986
16	4	M45	540	M49A	757	M49B	791	M412C	1075	M412D	1197
25	3	N37	582	N37A	791	N313B	1050	N313C	1197	N313D	1566
25	4	N49	797	N49A	957	N417B	1393	N417C	1711	N417D	1759

Rating	pole	on/off		2way		2way &		3way &		4way	
				no/off		off		off		no/ off	
40	3	P34	917	P37A	1256	P37B	1434	P39C	1971	P39D	2021
40	4	P45	1049	P49A	1505	P49B	1699	P412C	2490	P412D	2607
60	3	Q37	1434	Q37A	1785	Q313B	2495	Q313C	2608	Q313D	2887
60	4	Q49	1822	Q49A	2024	Q417B	2836	Q417C	2859	Q417D	3266
100	3	R311	4435	R315A	6831	R315B	7016	R315C	7568	R315D	7940
100	4	R414	4577	R419A	8128	R419B	8866	R419C	10346	R419D	10842
SIX AND E	SIX AND EIGHT POSITION SWITCHES SINGAL PHASE 250 VOLTS &THREE PHASE 440 VOLTS,AC,50Hz										

SIX AND EIGHT POSITION SWITCHES SINGAL PHASE 250 VOLTS &THREE PHASE 440 VOLTS,AC,50Hz										
Rating	pole	5way		6way		7way &		8 way no/		
Amps		&off		no/off		off		off		
16	1	L13E6	931	L13F6	931	L14G7	1096	L13H8	1096	
	2	L26E6	1096	L26F6	1096	L29G7	1729	L29H8	1729	
	3	M39E6	1765	M39F6	1765	M313G7	2581	M313H8	2581	
25	1	N15E6	1115	N15F6	1115	N15G7	1256	N15H8	1256	
	2	N29E6	1795	N29F6	1795	N29G7	1759	N29H8	1759	
	3	N313E6	2289	N313F6	2289	N313G7	2914	N313H8	2914	
40	1	P14E6	1256	P14F6	1256	P14G7	1376	P14H8	1376	
	2	P29E6	1982	P29F6	1982	P29G7	2307	P29H8	2307	
	3	P313E6	2868	P313F6	2868	P313G7	2989	P313H8	2989	
60	1	Q17E6	1982	Q17F6	1982					
	2	Q213E6	3010	Q213F6	3010					
	3	Q319E6	4335	Q319F6	4335				-	

16AXIP 6WAY NO OFF SMALL BODY -500

SELECTOR SWITCHES (4 & 6 POSITIONS)

(4 POSITION, FRAME SIZE 1 AND 6 POSITION, FRAME SIZE 2)

(,				
AMMETER SELECTOR		I	HSN 85361010				
TO INDICATE BY MEANS OF A SINGLE AMMETER TO BE USED WITH CURRENT TRANSFORMERS	CAT. NO	SWITCH HASPOSITIONS	RS. EACH				
CURRENT IN EACH PHASE WITH OFF POSITION	Ma36 4		384.00				
VOLTMETER SELECTOR							
TO INDICATE BY MEANS OF A SINGLE VOLTMETER	RKV 1035	4	384.00				
GRINDER ROTARY SWITCHES							

ACCESSORIES

DESCRIPTION	PRICE Rs. EACH
INDICATING PLATESSIZE 72X72 MM Small Plate	35.00
SIZE 96X96 MM Big Plate	60.00
HANDLES SMALL KNOB	35.00
BIG KNOB	50.00
BAKELITE PISTOL GRIP HANDLE FOR (FRAME SIZE 1 & 2) SWITCHES. IN FRAME SIZE 2 & 3	150 00
LEVER TYPE ALUMINIUM HANDLE FOR (FRAME SIZE 1 8 21	420.00



Effective from 01-10-2024

TYPE OF	RATED NO.OF SWITCHING NO.OF OPEN EXECUTION		CUTION	IN SHEET HOUSI	-			
Switches	Amps.	PACKETS	POLE	CAT. NO	UNIT PRICE Rs.	CAT. NO	UNIT PRICE Rs.	
On-Off	25	1	2	J-25-01-2/25	373.00	J-25-01-2/25E	586.00	
On-Off	25	2	3	J-25-02-3/25	553.00	J-25-02-3/25E	766.00	
On-Off	25	2	4	J-25-02-4/25	580.00	J-25-02-4/25E	795.00	
On-Off	25	3	6	J-25-03-6/25	757.00	J-25-03-6/25E	970.00	
Reversing	25	3	3	J-25-R2	720.00	J-25-R2E	931.00	
Reversing	32	3	3	J-25-R3	766.00	J-25-R3E	987.00	
Star Delta	25	4		J-25-SD	885.00	J-25-SDE	1144.00	
Star Delta Special	25	4		J-25-SD/4/SP	885.00	J-25-SD/4/SPE	1144.00	
System Selector	16	3		J-25-SS	757.00	J-25-SSE	970.00	
Reversing Pole Changing	16	6		J-25-RPC	1578.00			
TWO SPEED POLE CHAN 1Separate Winding	GING 16	3		J-25-2SW	757.00	J-25-2SWE	970.00	
2Dahlander Winding	16	4		J-25-2DW	913.00	J-25-2DWE	1173.00	
ZDamander Winding	10			J-23-2DVV	313,00	J-23-2DVVL	1173.00	
Phase - Selector	25	2	1Pole,3Way & Off	J-25-1PS	600.00	J-25-1PSE	813.00	
Phase - Selector	25	3	3Pole,4Way	J-25-3PS	768.00	J-25-3PSE	987.00	
Change- Over	25	2	&Off	J-25-2CO	580.00	J-25-2COE	795.00	
Change-Over	25	3	3	J-25-3CO	757,00	J-25-3COE	970.00	
Change- Over	25		4	J-25-4CO	885.00	J-25-4COE	1144.00	
Onlinge Over		4	4	0 20 400	003.00	0 20 40 0 E	1177.00	
PROGRAMME SWITCHI	ES CAN BE	SUPPLIED	ASPER	CUSTOMERS	SPECIF	CATION	LINUT	
SPARES AND ACCES	SORIES					Р	UNIT RICE Rs.	
A.Sheet Steel Housing up	oto 3 Packets	s for 25 Amp.	Switches				213.00	
B.Sheet Steel Housing up	oto 3 Packets	s for 32 Amp.	Switches				221.00	
C.Sheet Steel Housing fo	r 4 Packets						260.00	
■ Bakelite Ball Handle							27.00	
Indicating Dial with mar	kings						21.00	
■ Catching Lever for Driv	e Mechanisn	n (2 Nos. Req	uired per	Switch)			19.50	
■ Tension Spring for Drive	e Mechanism	1					13.65	
■ Bakelite Contact Holde			63.00					
■ Set of Contacts						(On A	pplication)	
VECCO				OPEN			CLOSE	
ON- OFF 63A	V-	-63-0		2310		V-625	3150	
REVERSING 63A		-63-R		3435		V6WS	4216	
	JAINSON- REVERSE FORWARD SWITCH (16A)							
	ELITE HANDLE		3 _16 ⊑	ER/NV		PI	RICE Rs.	
	EL HANDLE			ER/NV ER/NV			480	
315	LLIMINDLE		J-10-E	_1 V I V V			700	

CAM SWITCHES





Effective from 01-10-2024

ON - OFF					
POLE	CAT. NO	Rs.Each			
1	J1S 160	155.00			
2	J1S 260	189.00			
3	J2S 360	204.00			
4	J2S 460	251.00			

2 WAY NO - OFF						
POLE	CAT. NO	Rs.Each				
1	J1S 16B	189.00				
2	J2S 26B	250.00				
3	J3S 36B	314.00				
4	J4S 46B	394.00				

2 WAY & OFF					
POLE	CAT. NO	Rs.Each			
1	J1S 16B0	186.00			
2	J2S 26B0	250.00			
3	J3S 36B0	314.00			
4	J4S 46B0	394.00			

	3 W	AY N	O-C)FF 1 2 3	3WA	Y & OFF	0 1 0 2 3	4W	AY NO-O	FF (2 3 1 4)	4W	AY & OFF	0 1 0 2 4 3
P	OLE	CAT	NO.	Rs.Each	POLE	CAT. NO	Rs.Each	POLI	ECAT. NO	Rs.Each	POLE	CAT. NO	Rs.Each
	1	J2S	16C	222.00	1	J2S14C0	222.00	1	J2S 16D	234.00	1	J3S 16D0	251.00
	2	J3S	26C	316.00	2	J3S24C0	316.00	2	J4S 26D	348.00	2	J5S 26D0	415.00
	3	J5S	36C	469.00	3	J5S34C0	469.00	3	J6S 36D	483.00	3	J8S 36D0	576.00
	4	J6S	46C	584.00	4	J6S44C0	584.00	4	J8S 46D	674.00	4	J10S46D0	708.00

AM &	0 B R RY	
POLE	CAT. NO	Rs.Each
1	J4S 39AP	322.00
2	J3S 39VP	243.00
3	J4S 44VPN	362.00
4	J3S 49VN	250.00

REVERSING & OFF POSITION 60						
POLE	CAT. NO	Rs.Each				
2	J2S 26R0	250.00				
3	J3S 36R0	289.00				

ON - OFF					
POLE	CAT. NO	Rs.Each			
1	J1S 145	155.00			
2	J1S 245	189.00			
3	J2S 345	204.00			
4	J2S 445	251.00			

5 WAY NO-OFF 5 SWAY & OFF		6 WAY NO-OFF [1 0 2 3 3			6WAY & OFF [0 1 2 4 3]						
POLE	CAT. NO	Rs.Each	POLE	CAT. NO	Rs.Each	POLE	CAT. NO	Rs.Each	POLE	CAT. NO	Rs.Each
1	J3S 16E	294.00	1	J3S 16E0	294.00	1	J3S 16F	314.00	1	J4S 14F0	360.00
2	J5S 26E	503.00	2	J6S 26E0	529.00	2	J6S 26F	584.00	2	J7S 24F0	615.00
3	J8S 36E	705.00	3	J9S 36E0	706.00	3	J9S 36F	834.00	3	J11S34F0	858.00
4	J10S46E	909.00	4	J12S46E0	945.00	4	J12S46F	1026.00			

HSN CODE 8536-1010

PRICE LIST 2024 -

LIMIT SWITCHES





Effective from 01-10-2024

OPEN

	NORMAL	ACTION	SNAP A	CTION
	CAT. NO.	UNIT PRICE Rs.	CAT. NO.	UNIT PRICE Rs.
With Push Rod	JLSO	165.00	JLSOS	190.00
With Push Rod & P.P.Cover	JLSOPP	213.00	JLSOSPP	237.00



IN OIL / DUST TIGHT ALUMINIUM HOUSING

	NORMAL	ACTION	SNAP ACTION		
	CAT. NO.	UNIT PRICE Rs.	CAT. NO.	UNIT PRICE Rs.	
With Push Rod	JLSPO	433,00	JLSPOS	454.00	
With Normal Roller Lever	JLSRO	454.00	JLSRSO	482.00	
With Angular Roller Lever	JLSARO	482.00	JLSARSO	507.00	



IN STANDARD ALUMINIUM HOUSING

	NORMAL ACTION		SNAP ACTION	
	CAT. NO.	UNIT PRICE Rs.	CAT. NO.	UNIT PRICE Rs.
With Push Rod	JLSP	377.00	JLSPS	403.00
With Normal Roller Lever	JLSR	411.00	JLSRS	433.00
With Angular Roller Lever	JLSAR	433.00	JLSARS	507.00



MINIATURE LIMIT SWITCH

	NORMAL ACTION		SNAP ACTION		
	CAT. NO.	UNIT PRICE Rs.	CAT. NO.	UNIT PRICE Rs.	
Actuator With Ball	JMLB	376.00	JMLBS	403.00	
Actuator With Roller	JMLR	403.00	JMLRS	433.00	
Actuator With Roller Lever	JMLRL	433.00	JMLRLS	458.00	
Element Open	JMLNE	173.00	JMLSE	204.00	



SPARE LIMIT SWITCH ROLLER - 65.00

HSN CODE 8536-5010

PRICE LIST 2024 ——

DIN RAIL MOUNTED TERMINAL BLOCKS HIGH GRADE MELAMINE SERIES

STANDARD SCREW CLAMP TERMINAL BLOCKS



JCST 2.5

Wire Size: 0.5-4 sq.mm Rating : 36A, 800V Std. Colour - 15.50 Non-Std. Colour - 17.00 End Plate JEP/1 - 6.90 Partition JPP/1 - 16.00 Std. Packing: 200 Nos.



JCST 6

Wire Size : 1.5-6 sq.mm Rating : 47A, 800V Std. Colour - 18.00 Non-Std. Colour - 19.50 End Plate JEP/1 - 6.90 Partition JPP/1 - 16.00 Std. Packing: 200 Nos.



JCST 10

Wire Size: 1.5-10 sq.mm Rating : 65A, 800V Std. Colour - 24.00 Non-Std. Colour - 26.50 End Plate JEP/1 - 6.90 Partition JPP/1 - 16.00 Std. Packing: 200 Nos.



JCST 16

Wire Size: 6-16 sq.mm Rating: 87A. 800V Std. Colour - 38.00 Non-Std. Colour - 42.00 End Plate JEP/1 - 13.80 Partition JPP/1 - 24.00 Std. Packing: 100 Nos.



JCST 25

Wire Size : 10-25 sq.mm Rating : 100A, 800V Std. Colour - 54.00 Non-Std. Colour - 59.50 End Plate JEP/1 - 14.50 Partition JPP/1 - 22.00 Std. Packing: 100 Nos.



JCST 35

Wire Size: 10-35 sq.mm Rating: 145A, 800V Std. Colour - 96.00 Non-Std. Colour - 106.00 End Plate JEP/1 - 15.50 Partition JPP/1 - 32.00 Std. Packing: 50 Nos.



JCST B3

Wire Size: 1.5-4 sq.mm Rating : 32A, 800V Std. Colour - 36.00

End Plate JEP/1 - 9.50 Partition JPP/1 - 13.00 Std. Packing: 100 Nos.

STUD TYPE TERMINAL BLOCKS



JST B4

Wire Size: 15-10 sq.mm Rating: 57A, 800V Std. Colour - 46.00

End Plate JSTEP/1 - 9.50 Partition JSTPP/1 - 13.00 Std. Packing: 100 Nos.



JST B5

Wire Size: 15-16 sa.mm Rating: 76A, 800V Std. Colour - 54.00

End Plate JSTEP/1 - 9.50 Partition JSTPP/1 - 13.00 Std. Packing: 100 Nos.



JST N4

Wire Size: 15-10 sq.mm Rating: 45A, 800V Std. Colour - 48.00

End Plate JSTEP/1 - 9.50 Partition JSTPP/1 - 13.00 Std. Packing : 100 Nos.



JST N5

Wire Size: 15-16 sa.mm Rating: 76A, 800V Std. Colour - 56.00

End Plate JSTEP/1 - 9.50 Partition JSTPP/1 - 13.00 Std. Packing : 100 Nos.



JST N6

Wire Size : 6-25 sq.mm

Std. Colour - 77.00

End Plate JSTEP/1 - 9.50 Partition JSTPP/1 - 13.00 Std. Packing: 100 Nos.

DISCONNECTIONG TYPE

TERMINAL BLOCKS



JSTRN 5

Wire Size: 6-16 sq.mm Rating: 87A, 800V Std. Colour - 78.00

End Plate JR EP/1 - 12

Std. Packing: 50 Nos.



JSTRN 6

Wire Size : 6-35 sa.mm Rating: 145A, 800V Std. Colour - 105.00

End Plate JR EP/1 - 12

Std. Packing: 50 Nos.

BUS BAR TERMINAL BLOCKS



JCST 35L

Wire Size: 16-50 sq.mm Rating: 145A, 800V Std. Colour - 175.00

End Plate JCSTEP-4 35.00 Std. Packing: 10 Nos.



JCST 70L

Wire Size: 50-95 sq.mm Rating: 250A, 1000V Std. Colour - 280.00

End Plate JCSTEP-4 36.00 Std. Packing: 10 Nos.



JCST 95L

Wire Size: 70-120 sq.mm Rating: 300A, 1000V Std. Colour - 340.00

> **End Plate** JCSTEP-4 36.00 Std. Packing: 10 Nos.



JCST 185L

Rating: 450A, 1000V Std. Colour - 600.00

> JCSTEP-4 36.00 Std. Packing: 10 Nos.



Wire Size: 120-185 sq.mm

End Plate



JDTT M4

Wire Size : 1.5-6 sq.mm Rating : 65A, 1100V Std. Colour - 76.00

End Plate JDTEP-1- 15.00 Std. Packing: 50 Nos.



JUT 4

Wire Size: 0.5-4 sq.mm

Std. Packing: 200 Nos.



Rating: 36A, 800V Std. Colour - 14.50

End Plate JEP-1- 6.90 Partition JPP/1 - 16.00

POLYAMIDE 6.6 SERIES

STANDARD SCREW CLAMP TERMINAL BLOCKS



JKUT 2.5

Wire Size : 0.5-2.5 sq.mn Rating : 24A, 800V Std. Colour - 9.40 Non-Std. Colour - 10.40 End Plate JUEP/01 - 5.50

Std. Packing: 200 Nos.



JKUT 4

Wire Size : 0.5-4 sq.mm Rating : 32A, 800V Std. Colour - 11.80 Non-Std. Colour - 13.00 End Plate JUEP/01 - 6.20

Std. Packing: 200 Nos.



JKUT 6

Wire Size: 1.5-6 sq.mm Rating : 41A, 800V Std. Colour - 16.40 Non-Std. Colour - 18.10 End Plate JUEP/01 - 6.20

Std. Packing: 200 Nos



JKUT 10

Wire Size : 1.5-10 sq.mm Rating : 57A, 800V Std. Colour - 21.00 Non-Std. Colour - 23.40 End Plate JUEP/02 - 6.20

Std. Packing: 200 Nos



JKUT 16

Wire Size: 2.5-16 sq.mm Rating : 76A, 800V Std. Colour - 37.00 Non-Std. Colour - 41.20 End Plate JUEP/03 - 11.00

Std. Packing: 200 Nos



JKUT 25

Wire Size: 6-25 sq.mm Rating: 101A, 800V Std. Colour - 58.00 Non-Std. Colour - 63.80 End Plate JUEP/04 - 11.50

Std. Packing: 100 Nos



JKUT 35

Wire Size: 10-35 sq.mm Rating: 125A, 800V Std. Colour - 82.00 Non-Std. Colour - 90.20 End Plate JUEP/05 - 12.00

Std. Packing: 50 Nos.

STUD TYPE TERMINAL BLOCKS



Wire Size: 0.5-6 sq.mm Rating: 41A, 1100V Std. Colour - 32.00

End Plate JKSTEP-1 - 9.50 Std. Packing: 100 Nos.



Wire Size : 1.5-10 sq.mm Rating : 57A, 1100V Std. Colour - 42.00

End Plate JKSTEP-2 - 9.50 Std. Packing: 100 Nos.



JKST B5

Wire Size : 1.5-16 sq.mm Rating : 76A, 1100V Std. Colour - 48.00

End Plate JKSTEP-2 - 9.50 Std. Packing: 100 Nos.



JKST N4

Wire Size : 1.5-10 sq.mm Rating : 57A, 1100V Std. Colour - 42.50

JKSTEP-2 - 9.50 Std. Packing: 100 Nos.

DOUBLE DECK

TERMINALS



Wire Size : 1.5-16 sq.mm Rating : 76A, 1100V Std. Colour - 47.00

JKSTEP-2 - 9.50 Std. Packing: 100 Nos.



JKBB 35L

Wire Size : 16-50 sq.mm Rating : 150A, 1000V Std. Colour - 142.00 Non-Std. Colour - 154.00 **End Plate** JKBBEP-1- 32.00 Std. Packing: 10 Nos.



JKBB70

Wire Size : 16-70 sq.mm Rating : 192A, 1000V Std. Colour - 270.00 Non-Std. Colour - 290.00 **End Plate** JKBBEP-1- 32.00 Std. Packing: 10 Nos.

FUSE TERMINAL BLOCKS



JKBB 95L

Wire Size : 70-120 sq.mm Rating : 300A, 1000V Std. Colour - 310.00 Non-Std. Colour - 340.00 **End Plate** JKBBEP-1- 32.00 Std. Packing : 10 Nos.



JUDF 4

Wire Size : 0.5-4 sq.mm Rating: 6.3A, 800V Withoud Fuse - 41.50 Double Fuse - 54.00

Std. Packing: 100 Nos.



JUDF 4AD

Wire Size : 0.5-4 sq.mm Rating: 6.3A, 800V Std. Colour - 61.00 Suitable for - 6-60V 110-240V

Std. Packing: 100 Nos



JKUDD 4

Wire Size: 0.5-1.5 sq.mm Rating : 24A, 800V Std. Colour - 30.00

End Plate JKUDDEP - 11.00 Std. Packing: 100 Nos.



DISCONNECTING TYPE TERMINALS BLOCKDS

JKDTT M4

Wire Size : 1.5-6 sq.mm Rating : 41A, 1100V Std. Colour - 62.00

End Plate JKDTEP-1 - 13.50 Std. Packing : 50 Nos.



JUEC 101

Suitable for Din Rail 32 mm & 35 mm Std. Colour - 10.00

Std. Packing: 50 Nos. Master Packing:



END CLAMP / STOPPER

JUEC 102

Suitable for Din Rail 35 mm Std. Colour - 9.00

Std. Packing: 50 Nos. Master Packing: 5000 Nos.





PRICE LIST EFFECTIVE FROM 01-10-2024

PRESSURE SWITCHES FOR AIR COMPRESSORS

TYPES PS

: Type PS are triple pole Pressures switches without unloading valve.

TYPES PSV

: Type PSV are Pressure switches Provided with an unloader valve which relives the Pressure over the Compressors piston when the electric motor stops. Hence, when the compressor restarts, there is no gauge Pressure on the Compressors piston and as a result the electric motor life & Compressors life increase. HOW TO MOUNT : The Pressure switches are designed for fitting to the air receiver by means connection (1/2"BSP)

The stopping Pressure is set by turning the regulating nut (1) and starting Pressure, which depends on the differential, by turning the regulating screw (2).

ADJUSTMENT

: Start the plant, when the stopping Pressure required is reached, turn the regulating nut (1) anti-clock wise until the plant stops.

If the plant stops before the Pressure required is reached, the nut should be turned clock wise.

Turning the regulating screw (2) anti-clock wise reduces the differential (increases the starting Pressure) While turning it clock wise increases the Pressure) while turning it clock wise increases the differential Pressure.





PRICE LIST CUM ORDERING AND TECHNICAL DATA FOR PRESSURE SWITCHES

TYPE	RANGE	RATE	DESCRIPTION
PSV-15X	7-15 Kg. (100-213 PSIG)	1200	Without Relief Valve & Without On/Off Knob
PS-15X	7-15 Kg. (100-213 PSIG)	1200	Without Relief Valve & On/Off Knob
PS-15B	7-15 Kg. (100-213 PSIG)	1200	Without Relief Valve But With on /off Knob
PSV-15B	7-15 Kg. (100-213 PSIG)	1200	Without Relief Valve & On/Off Knob
PS-4B	1-4 Kg. (14-60 PSIG)	1200	Without Relief Valve but With On/Off Knob

PS-4B	1-4 Kg. (14-60 PSIG)		1200	٧	Vithout Relief Valve but With On/Off Knob	
DESCRIPTION		R	ATE/PCS		STD. PACK	
Daifarm		120.00			12	
Relief Valve			500.00			

TYPE	RANGE	RATE	DESCRIPTION
PSV-9X	2.5-9.5 Kg. 35.5-135 PSIG	1200	Without Relief Valve & Without On/Off Knob
PS-9X	2.5-9.5 Kg. 35.5-135 PSIG	1200	Without Relief Valve & On/Off Knob
PS-9B	2.5-9.5 Kg. 35.5-135 PSIG	1200	Without Relief Valve But With on /off Knob
PSV-9B	2.5-9.5 Kg. 35.5-135 PSIG	1200	Without Relief Valve & On/Off Knob
PS-4X	1-4 Kg. (14-60 PSIG)	1200	Without Relief Valve but With On/Off Knob

DESCRIPTION	RATE/PCS	STD. PACK
Contact Block	650.00	25
Connection Plate	150.00	-



MODEL NO.

8025D12SH



1

njinel	u Es	The Tru	FAN	AXIAL F	AC A	F 01-10-2024	rice List W.E.
			STD PACKING	PRICE	VOLTAGE	BEARING TYPE	MODEL NO.
			40	700.00	110VAC	SLEEVE BEARING	J-22038 S1 H
		4" FAN	40	850.00	110VAC	BALL BEARING	J-22038 B1 H
11		120 x 120 x 38 mm	40	460.00	230VAC	SLEEVE BEARING	J-22038 S2 H
		120 X 120 X 30 IIIII	40	606.00	230VAC	BALL BEARING	J-22038 B2 H
	Œ		40	905.00	24VAC	SLEEVE BEARING	J-22038 S24
	•		40	985.00	24VAC	BALL BEARING	J-22038 B24
9 30			STD PACKING	PRICE	VOLTAGE	BEARING TYPE	MODEL NO.
		CILOVAL FAN	24	1380.00	110VAC	SLEEVE BEARING	J-17252 S1 H
STALL		6" OVAL FAN	24	1500.00	110VAC	BALL BEARING	J-17252 B1 H
Albert .		172 x 150 x 51 mm	24	1100.00	230VAC	SLEEVE BEARING	J-17252 S2 H
	Œ		24	1210.00	230VAC	BALL BEARING	J-17252 B2 H
			STD PACKING	PRICE	VOLTAGE	BEARING TYPE	MODEL NO.
		6" SQUARE FAN	24	1380.00	110VAC	SLEEVE BEARING	J-17255 S1 H
		172 x 172 x 55 mm	24	1500.00	110VAC	BALL BEARING	J-17255 B1 H
V	Œ	172 X 172 X 55 11111	24	1100.00	230VAC	SLEEVE BEARING	J-17255 S2 H
	CE		24	1210.00	230VAC	BALL BEARING	J-17255 B2 H
1			STD PACKING	PRICE	VOLTAGE	BEARING TYPE	MODEL NO.
		8" SQUARE FAN	12	2430.00	110 VAC	BALL BEARING	J-22060 S B1
		220 x 220 x 60 mm	12	1844.00	230VAC	BALL BEARING	J-22060 S B1
	(€						
A STATE OF THE STA		8" ROUND FAN	STD PACKING	PRICE	VOLTAGE	BEARING TYPE	MODEL NO.
W.		220 Ø v 60 mm	12	2430.00	110 VAC	BALL BEARING	J-22060 R B1

J-22060 R B2	BALL BEARING	230VAC	1844.00	12
J-8025A240SH (80X8	80X25mm) SLEEVE BEARING	240VAC	525.00	20

220 Ø x 60 mm



J-8025A240SH (80X80X25mm) SLEEVE BEARING	240VAC	525.00	20
J-9225A240SH (92X92X25mm) SLEEVE BEARING	240VAC	535.00	20

BEARING TYPE

SLEEVE BEARING



3" FAN 80x80x25mm



3.5" FAN 92x92x25mm

DC BRUSLESS FAN

PRICE

235.00

STD PACKING

50

8025D24SH	SLEEVE BEARING	24 VDC	242.00	50
MODEL NO.	BEARING TYPE	VOLTAGE	PRICE	STD PACKING
9225D12SH	SLEEVE BEARING	12 VDC	336.00	50
9225D24SH	SLEEVE BEARING	24 VDC	346.00	50

VOLTAGE

12 VDC

3" FAN 80 x 80 x 25 mm Œ



3.5" FAN 92 x 92 x 25 mm Œ



MODEL NO.	BEARING TYPE	VOLTAGE	PRICE	STD PACKING
12038D12SH	SLEEVE BEARING	12 VDC	540.00	40
12038D24SH	SLEEVE BEARING	24 VDC	568.00	40
12038D48SH	SLEEVE BEARING	48 VDC	588.00	40

4" FAN 120 x 120 x 38 mm



MODEL NO.	BEARING TYPE	VOLTAGE	PRICE	STD PACKING
1725D12BH	BALL BEARING	12 VDC	3255.00	12
1725D24BH	BALL BEARING	24 VDC	2890.00	12

6" OVAL FAN 172 x 150 x 51 mm



ABOVE PRODUCTS ARE **(€** APPROVED AS PER SPECIFICATION IEC 60335-1:2001-05, IEC 60034-1:2004. CISPR 11: 2004.



Jainson

PRICE LIST EFFECTIVE FROM 01-10-2024

IRON CLAD & SHEET METAL MAIN SWITCHES, KIT KAT FUSE, CHANGE OVER SWITCHES & BUS BAR CHAMBER

Jainson **CHANGE OVER SWITCHES**



		0	565
-			
0	0		
		a ala ala a	111
	8	* \$5.55	- B
500	- 100	a sla sla s	E EST

Jainson SHEET METAL **MAIN SWITCHES**



AMPS	UNITE	UNITE		
	2 POLE	3 POLE	4 POLE	CASE EACH
16 Amp x 415 V.	1375.00	1800.00	2200.00	6
32 Amp x 415 V.	1840.00	2300.00	2700.00	6
63 Amp x 415 V.	4155.00	6000.00	6400.00	6
100 Amp x 415 V.			10900.00	3
200 Amp x 415 V.			16000.00	1

AMPS	TYPE	UNITE PRICE Rs.	UNITE CASE
16 Amp x 240 V.	S.M.D.P.	750.00	15
32 Amp x 240 V.	S.M.D.P.	1250.00	12
63 Amp x 240 V.	S.M.D.P.	3360.00	8
16 Amp x 415 V.	S.M.T.P.	1400.00	16
32 Amp x 415 V.	S.M.T.P.	1950.00	16
63 Amp x 415 V.	S.M.T.P.	4100.00	8
100 Amp x 415 V.	S.M.T.P.	10700.00	2
200 Amp x 415 V.	S.M.T.P.	14800.00	1

Jainson

KIT-KAT FUSES



AMPS	TYPE	PRICE EACH	
16 Amp x 240 V.	KIT KAT FUSE	48.00	
16 Amp x 415 V.	KIT KAT FUSE	99.00	
32 Amp x 415 V.	KIT KAT FUSE	190.00	
63 Amp x 240 V.	KIT KAT FUSE	448.00	
100 Amp x 415 V	KIT KAT FUSE	1010.00	
200 Amp x 415 V.	KIT KAT FUSE	1568.00	

(BUS BAR CHAIMBER) WITH COPPER STRIPS



SIZE	9X10X3	15X12X4	24X13X6	UNITE CASE
32 AMP	1980.00			6
63 AMP		3500.00		6
100 AMP		3650.00		6
200 AMP			7800.00	2
300 AMP			9600.00	2
400 AMP			11100.00	2

SANJAY electrical

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apartment, First Floor, 527 Budhwar Peth. Tapkir Galli, Pune - 411002.

2: 24456774, 24491816, 66029641 / 642.

M: 7875758405 / 08. 7875758265 / 7875758239

Email: sales@sanjayelectricalspune.com

• accounts@sanjayelectricalspune.com www.sanjayelectricalspune.com

TERMS & CONDITIONS:

- PRICES ARE SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE.
- GST EXTRA AS APPLICABLE
- GOODS SOLD WILL NOT BE TAKEN BACK
- THIS PRICE LIST CANCELS ALL OUR PREVIOUS PRICE LISTS.
- SUBJECT TO PUNE JURISDICTION ONLY.