

SANJAY

electrical

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apartment, First Floor, 527 Budhwar Peth, Tapkir Galli,
Pune - 411002. ☎ : 24456774, 24491816.

66029641 / 642. M : 7875758405 / 08. 7420010397.

Email : sanjayelectricals@rediffmail.com • sanjayelt@gmail.com

OFFICE HOURS : 9-30 A.M. TO 2.00 P.M. & 2.30 P.M. TO 7.30 P.M.

PRICE LIST
WITH EFFECT FROM
1st MAR 2021

Authorised Stockist for



**ELECTRICAL, ELECTRONIC
TESTING MEASURING
INSTRUMENTS
& TRANSDUCERS**

DESCRIPTION	MODEL	PRICE EACH
DIGITAL MULTIMETERS - HSN 9030		
3 1/2 Digit 1999 Count Large Display	603	1557
3 1/2 Digit 1999 LCD Display	603 Junior	963
3 1/2 Digit 1999 Count with Big Display & Temperature	9A 06	2259
3 3/4 Digit 4000 Count with Big Display, Capacitance, Frequency & Temperature	801 Auto	2379
3 3/4 Digit 6000 Count with LCD Display Autoranging	801 Junior	1530
4 1/2 Digit 19999 Count TRMS with Big Display, Capacitance & Frequency	450-TRMS	6273
4 1/2 Digit 19999 Count with Capacitance, Frequency, HFE, Infra Red Remote Control Check, Live Wire Check, Auto Power OFF, Diode & Audible Continuity	45CF	3375
3 1/2 digit 1999 Count LCD, Audible Continuity, Data Hold, Diode, HFE Test & Backlight Display	63	747
3 1/2 digit Count : 4000, Back Light for Display	101B+	1494
3 1/2 Digit, 1999 Count LCD, Auto Ranging, Data Hold, Temperature & APO	9A-09	1555
6 1/2 Digit Bench Top Digital Multimeter	65P	86661
3 & 1/3 Digits Autoranging Digital Multimeter (TRMS)	666	2493
3 & 1/2 Digits Autoranging Digital Multimeter (TRMS) 128 B	18	1314
3 & 5/6 Digits Autoranging Digital Multimeter 750V 20A (TRMS) 135 B	153B+	2373
3 & 5/6 Digits Auto/Manual Ranging Digital Multimeter with Temperature Probe	171B+	2520
USB Digital Multimeter (AC Voltage Range 400mV to 750V)	81USB	4059
3 1/2 Digit, Count: 6000, Back Light for Display	108B+TRMS	1800
4 Digit TRMS 999 Count Autoranging, Capacitance, Frequency, Diode Test	126B+TRMS	2592
3 Digit Autoranging LCD with Backlight, Capacitance, Resistance, Diode Test	135B+TRMS	3033
DIGITAL CLAMPMETERS & TONGTESTERS - HSN 9030		
3 3/4 Digit 3999 Count 600A AC (TRMS) With frequency & Temperature	2727	...
3 1/2 Digit 1999 Count 1000A AC with Frequency	2250-Hz Auto	2853
3 3/4 Digit 3999 Count 1000A AC Autoranging with Frequency & Capacitance	3150	...
3 3/4 Digit 3999 Count 1000A AC Autoranging with Frequency & Capacitance	3150+	1422
3 1/2 Digit 1999 Count 1000A AC (TRMS) with Frequency	3636	...
3 1/2 Digit 1999 Count 600A AC/DC with Frequency & Duty Cycle	3690 Auto	4680
3 3/4 Digit 3999 Count Auto Ranging 1200A DC /1000 A AC (TRMS) with Capacitance & Hz	3600	...
3 3/4 Digit 3999 Count Auto Ranging 1200A DC /1000 A AC (TRMS) with Capacitance & Hz	3600+	3780
3 1/2 Digit 6000 Count 2000A DC/2000A AC (TRMS) with Capacitance & Frequency	2003A+	7272
3 1/2 Digit 2000 Count 400A AC Autoranging with Data Hold, Max, NCV & APO	27 AUTO	1260
3 1/2 Digit 2000 Count 400A AC Autoranging with Temperature, Data Hold, Max, NCV & APO	27 T AUTO	1458
3 1/2 Digit 4000 Count 400A AC Autoranging with Data Hold, REL, NCV & APO	72 AUTO	1728
3 1/2 Digit 4000 Count 400A AC Autoranging with Temp, Cap, Data Hold, REL, NCV & APO	72T AUTO	1899
600 A AC/DC Frequency, CAP, CY, DIO	36 AUTO BL	3744
1000 A AC Temperature, NCV	2502 T AUTO	2124
1000 A AC, Temperature, Frequency, NCV	2520THz AUTO	2673
Digital AC/DC Clamp Meter True RMS 1000 A 750 V	1008 TRMS	2808
3 5/6 Digits True RMS Auto range Digital AC/DC Clamp Tester-2000A AC/DC	1080 TRMS	4275
3 1/2 Digits AC 400 Amp / 600 V DC	18 SMART	1665

DIGITAL MULTIFUNCTION METERS - HSN 9030			Model	Price				
Power Guard to measure W, PF, mA, V, Hz, Minutes, KWH, CO ₂ (220V, 50Hz, 0.02 - 10A Max)			PG 08 T	1710				
Power Guard to measure TRMSV, TRMSA, KW, PF, KWH & EUT (220V)			PG 09 5A	2556				
Power Guard to measure TRMSV, TRMSA, KW, PF, KWH, EUT & CO ₂ (kg) (220V - 20 Amp 10 Min)			PG 09 20A	2601				
DIGITAL INSULATION TESTER - HSN 9030								
0-20 M Ω , 100V DC			DIT 99A	1692				
0-200 M Ω , 250V DC			DIT 99B	1692				
0-200 M Ω , 500V DC			DIT 99C	1692				
0-200 M Ω , 1000V DC			DIT 99D	1692				
0-2000 M Ω , 1000V DC			DIT 99E	1692				
5 kV - 200G Ω			DIT 954	13248				
2.5kV with AC voltage Function (1999 Counts)			DIT 918	6084				
CLAMP-OM Earth / Ground Resistance & Leakage Current Testers - HSN 9030								
Clamp-On Leakage Current Tester			4671	24182				
Clamp-On Leakage Current Tester with Jaw Opening 23 mm			4680	107388				
Clamp-On Leakage Current Tester with Jaw Opening 35 mm			4680B	120834				
Clamp On Leakage Current Tester Jaw Opening 65 mm			4680BL	38034				
Clamp On Earth / Ground Resistance Tester Jaw Opening 65 mm			4680BLC	43479				
CLAMP-OM Power Meters - HSN 9030								
Clamp-On TRMS Auto Ranging Power Meter (1000A, 600kW) with kW, kVA, HP, PF, Phase angle, Frequency, AC+DC uA, AC A, AC-DC V, W,W, Capacitance, Diode, Temperature with 3 Phase Adaptor			3510 PHW AUTO	17820				
3 Φ /1 Φ Clamp-On TRMS AR Power Meter (2000A, 2000kW) Power Analyzer / Load Manager with AC+DC, KW, V, A, KVA, KVR, PF, Phase Angle, Frequency and memory for recording.			4500	41130				
INFRA RED THERMOMETERS / HYGROMETER / LUX METER / ANEMOMETER / SOUND LEVEL METER			Model	Price				
Infra Red Thermometer (-50 to 380 Degree Celsius) HSN 9025			380 T	On Request				
Infra Red Thermometer (-30 to 550 Degree Celsius) HSN 9025			550 T	On Request				
Infra Red Thermometer (-50 to 1050 Degree Celsius) HSN 9025			1050 P	On Request				
Thermo Hygrometer HSN 9025			920 P	3177				
Lux Meter Sp. Function. HOLD / MAX / MIN / MAX-MIN / AVG / APO HSN 9027			930P	2457				
Hygro Anemometer (Air Flow Meter) HSN 9030			961P	2214				
Digital Sound Level Meter HSN 9027			970P	2106				
Lux Meter HSN 9027			930T	2214				
Electronic Analogue Insulation Tester (with C/C + T/L) MECOMEG 900 Series-AIT - HSN 9030								
DESCRIPTION		MODEL	PRICE EACH	DESCRIPTION		MODEL	PRICE EACH	
0 - 20 Meg Ω 100V		MC 901	1800	0 - 200 Meg Ω 1000V		MC 906	1800	
0 - 50 Meg Ω 250V		MC 902	1800	0 - 500 Meg Ω 1000V		MC 907	1800	
0 - 100 Meg Ω 500V		MC 903	1800	0 - 1000 Meg Ω 500V		MC 941	2025	
0 - 500 Meg Ω 500V		MC 904	1800	0 - 2000 Meg Ω 1000V		MC 981	2025	
ANALOG INSULATION TESTER WITH BATTERY ADAPTER - HSN 9030								
CATALOGUE NO.		PRICE		CATALOGUE NO.		PRICE		
MC 901 BA		1980		MC 906 BA		1980		
MC 903 BA		1980		MC 907 BA		1980		
MC 904 BA		1980		MC 941 / 981 BA		2196		
DIGITAL WATT, VAR, P/F METER (96X96 MM with Built in Transducer) -DWM/DVM/DPF96								
DIGITAL WATT, VAR, P/F METER (96X48 MM with Built in Transducer) -SMPW/SMPV/DPF								
	A	V	96X96 DWM/DVM/DPF96	96X48 SMPW/SMPV/DPF	96X96 DWM/DVM/DPF96	96X48 SMPW/SMPV/DPF	96X96 DWM/DVM/DPF96	96X48 SMPW/SMPV/DPF
	AC WATT METER			AC VAR METER			P/F METER (AUX. SELF POWERED)	
1 Phase (Aux. 110V/230VAC) 1 Element	1A or 5 A	63.5V or 230 V	DWM96 3511 2338.00	DVM96 3511 2238.00	DPF9611 2899.00	DPF11 2673.00		
3 Phase 1 Element. Balanced Load (Star Connection)	1A or 5 A	63.5V or 230 V	DWM96 3531 2338.00	DVM9631 2238.00	DPF9631 2899.00	DPF31 2673.00		
3 Phase, 3 Wire, 2 Elements, Balanced or Unbalanced Load	1A or 5 A	110V or 440 V	DWM96 3533 3039.00	DVM9633 3039.00		
3 Phase, 4 Wire, 3 Elements, Balanced or Unbalanced Load	1A or 5 A	110/v3V or 440/v3V	DWM96 3534 3086.00	DVM9634 3086.00		

DC MOVING COIL RECTANGULAR METERS FOR FLUSH & REAR MOUNTING - MR (HSN 9030)

RANGES	MR60	MR65	MR100	MR120	MR135	ME 70
	60X60 MM	80X80 MM	100X80 MM	120X100 MM	135X100 MM	90X34 MM
Micro Ammeter 0-100 μ A to 200 μ A 0-250 μ A to 750 μ A	514.00 446.00	564.00 532.00	594.00 564.00	663.00 613.00	On req.	743.00 737.00
Milli Ammeter 0-1mA to 750mA	431.00	443.00	473.00	556.00	On req.	632.00
Ammeter 0-1A to 0-30A 0-40A to 0-50A 0-5A to 0-5000A/75 mV (with external shunt, shunt price extra)	431.00	443.00 455.00 443.00	473.00 485.00 473.00	556.00 567.00 556.00	On req.	632.00 ... 632.00
Milli Voltmeter 50mV to 1000V	431.00	443.00	473.00	556.00	On req.	632.00
Voltmeter 0-1V to 1000V						
Galvanometer Sensitivity : 500-0-500 μ A Scale : 30-0-30G or 50-0-50G						

AC MOVING COIL RECTANGULAR METERS FOR FLUSH MOUNTING (Rectifier Type) CR (HSN 9030)

RANGES (Any Single Range)	CR60	CR65	CR100	CR120	CR135	CE 70
	60X60 MM	80X80 MM	100X80 MM	120X100 MM	135X100 MM	90X34 MM
Milli Ammeter 0-1mA to 50mA 0-60mA to 750mA (Supplied with external CT box)	502.00 573.00	514.00 585.00	549.00 620.00	626.00 698.00	On req.	On req.
Ammeter 0-1A, 0-5A (supplied with CT box)	573.00	585.00	620.00	698.00	On req.	On req.
0-10V to 1000V	502.00	514.00	549.00	626.00	On req.	On req.

DC MOVING COIL EDUCATIONAL DESK STAND METERS - EDM

AC MOVING COIL EDUCATIONAL DESK STAND METERS (Rectifier Type) - EDM (HSN 9030)

RANGES (Any Single Range)	DC		Ranges (any single range)	AC	
	MR 65 EDM	MR 100 EDM		CR 65 EDM	CR 100 EDM
Micro Ammeter 0-100 μ A to 200 μ A 0-250 μ A to 750 μ A	614.00 579.00	638.00 614.00	Milli Ammeter 0-1mA to 0-750mA Ammeter 0-1A to 0-5A	656.00	691.00
Milli Ammeter 0-1mA to 750mA	514.00	529.00	Voltmeter 0-50V to 1000V	565.00	600.00
Ammeter 0-1A to 750mA			Notes a. *Max current range pto 1.5A b. Supp. Scale 2xtn or 6xtn AC Ammeter at Rs. 40 extra. c. Colour Band (Red or Yellow or Blue Green) at Rs. 10 / bend. d. Dual Range (three terminates) at Rs. 50 extra subject to feasibility. e. Zero Supp. 4-20mA DC or 1-5V DC at Rs. 50 extra. f. Voltmeter with sensitivity 10k Ω / V at Rs. 75 extra. g. Centre Zero / dual scale / non standard marking at Rs. 20 extra.		
Milli Voltmeter 0-50mV to 750mV					
Voltmeter 0-1V to 1000V					
Galvanometer Sensitivity : 500/0/500 μ A Scale : 30/0/30G or 50/0/50G					

DIGITAL VOLTMETER AND AMMETERS (96 X 96 MM) - SMP 96 / SM 96 HSN 9030

RANGES	SMP 9635	SMP 9645	SMP 9635 TRMS	SMP 9635	SMP 9645
	AC			DC	
199.9 mV 1.999 V 19.90 V 199.9 V 750 V 1000 V 1 - 5 V	965	1218	965	907	1174



DIGITAL VOLTMETER AND AMMETERS (96 X 48 MM) - SMP / SM (HSN 9030)

RANGES	SMP 35	SMP 45	SMP 35 T	SMP 35	SMP 45
	AC			DC	
200 mV 2 V AC 19.99 V 199.9 V 750 V AC 1000 V DC	849	1103		794	1048
	849	1103		794	1048

RANGES	SMP 72	SMP 48	SMP 96	SMP 96
	AC			DC
0 - 200 mV 0 - 2 - 20 - 200 - 1000V 0 - 2 - 20 - 200 mA 0-2, 5, 20A DC / 75 mV (Rescalable)				
	549	549	549	549
0-2 -20, 200, 750V 0-2, 5A, 20A 0-1 or 5A (Rescalable)				
	522	522	522	522
	549	549	549	549

DIGITAL MODULES (72 X 48 MM, 85 X 50) - GM / DH (HSN 9030)

RANGE	GM035 LCD	GM045 LCD	GM135 LED
199.9 mV 1.999 V 19.99 V 199.9V 199.9 μ A 1.999 mA 19.99 mA 199.9 mA	401	833	407

Notes :

1. PCB Edge Connector for GM/DH Series at Rs. 35/- Extra
2. Non standard calibration like RPM, $^{\circ}$ C, Met/Min etc. at Rs. 30/- Extra
3. Meters with AC Inputs & AC Aux. for 400Hz at Rs. 60 Extra.
4. Meters with Green Display @ Rs. 60 Extra, Subject to availability.
5. SM 35E & SM 45E supplied with Edge connector at no extra cost
6. Dual CTR meters like 200/400/5A, 600/1200/5A at Rs. 60/- Extra
7. SMP35 & SMP 9635 Meters with Data Hold Contacts at Rs. 60/- Extra.
9. Meters with Large Display 200mm/0.8 Inch Height (approx.) for SMP 35 / SMP9635 at Rs. 450 Extra, subject to availability.

DIGITAL FREQUENCY METER (96X96 mm) FDM96 & (96X48mm) FDM (HSN 9030)

RANGE	Input AC Voltage	Aux. Supply AC	FDM 4S	FDM96 4S
40.0 - 50.00 Hz Auto Ranging	20-500VAC	Self Powered 110V or 230VAC	770.00	880.00
40-99.99 Hz	20V-500V	110V or 230VAC \pm 10% @ 50 Hz Self Powered	1128.00	1128.00

HSN 9030

ELECTRONIC ANALOG TYPE WATT, VAR, POWERFACTOR & FREQUENCY METER

AC WATT METER	90° Deflection				240° Deflection		
	A	V	96X96	144X144	96X96	144X144	110X110
1 Phase 1 Element	1A or 5 A	63.5V or 230 V	96QW11 1229.00	144QW11 1595.00	96LW11 2664.00	144LW11 2835.00	110LW11 4761.00
3 Phase 1 Element. Balanced Load (Star Connection)	1A or 5 A	63.5V or 230 V	96QW31 1229.00	144QW31 1595.00	96LW31 2664.00	144LW31 2835.00	110LW31 4761.00
3 Phase, 3 Wire, 2 Elements, Balanced or Unbalanced Load	1A or 5 A	110V or 440 V	96QW32 2540.00	144QW32 2895.00	96LW32 3780.00	144LW32 4016.00	110LW32 5883.00
3 Phase, 4 Wire, 3 Elements, Balanced or Unbalanced Load	1A or 5 A	110/v3V or 440/v3V	96QW33 3131.00	144QW33 3544.00	96LW33 3963.00	144LW33 4105.00	110LW33 6237.00

AC VAR METER	A	V	96X96	144X144	96X96	144X144	110X110
1 Phase 1 Element	1A or 5 A	63.5V or 230 V	96QV11 1229.00	144QV11 1595.00	96LV11 2664.00	144LV11 2835.00	110LV11 4762.00
3 Phase 1 Element. Balanced Load (Star Connection)	1A or 5 A	63.5V or 230 V	96QV31 1229.00	144QV31 1595.00	96LV31 2664.00	144LV31 2835.00	110LV31 4761.00
3 Phase, 3 Wire, 2 Elements, Balanced or Unbalanced Load	1A or 5 A	110V or 440 V	96QV32 2540.00	144QV32 2895.00	96LV32 3780.00	144LV32 4016.00	110LV32 5883.00
3 Phase, 4 Wire, 3 Elements, Balanced or Unbalanced Load	1A or 5 A	110/v3V or 440/v3V	96QV33 3131.00	144QV33 3544.00	96LV33 3963.00	144LV33 4105.00	110LV33 6237.00

POWER FACTOR METER / PHASE ANGLE METER

1 Phase 1 Element	1A or 5 A	63.5V or 230 V	96QF11 1494.00	144QF11 1712.00	96LF11 3756.00	144LF11 3460.00	110LF11 3833.00
3 Phase 1 Element. Balanced Load	1A or 5 A	110V or 440 V	96QF31 1494.00	144QF31 1712.00	96LF31 3756.00	144LF31 3460.00	110LF31 3833.00

FREQUENCY METER

40-60 Hz, 45-55Hz, 45-65 Hz, 80 - 120 Hz, 360 - 440 Hz.	63.5V, 110 V, 240 V, 440 V	F72 691.00	F96 821.00	F144 1819.00	FL72 1712.00	FL96 1518.00	FL144 1677.00	FL110 1601.00
--	-------------------------------	---------------	---------------	-----------------	-----------------	-----------------	------------------	------------------

NOTE : A) 72 & 110 W / VAR Meters are supplied with External Transducer Box. B) # FL72 Meters supplied with External Transducer Box. C) Double Stamping / Non - Standard Marking at Rs. 20/- Extra. D) Rubber Gasket at extra cost of Rs. 40/- E) Centre Zero ofr Offset Zero W / VAR Meters at an extra cost of Rs. 100/- F) Delta Connection type Meter available on Request.

96X96 DIGITAL VOLT, FREQUENCY, AMMETER

MODEL No.	PRICE Rs.
VIF 96 U	1080.00



DIGITAL METERS (HSN 9030)

DESCRIPTION	MODEL	PRICE EACH
Battery Meter Voltage Range 2V to 12V DC	AMB 18	1377
Battery Meter Voltage Range 2V to 12V DC	BM 63	1899
Vehicle Battery System Meter	VBSM 6246	5130
Digital Automotive Multimeter	6255	3888
Multifunction Automobile Meter	6138	3096
Laser Distance Meter (Range 60 Meters) - HSN 9027	LDM 60	4095
Laser Distance Meter (Range 100 Meters) - HSN 9027	LDM 100	7065
Phase Sequence Indicator	PSI 2016	1206
Single Phase Multifunction Meter (1 A & 5 A)	EM08	
Single Phase Multifunction Meter (20 A Direct)	EM08	

DC MOVING COIL 90° DIN PANEL AMMETER & VOLTMETER - M

HSN 9030

AC MOVING COIL 90° DIN PANEL AMMETER & VOLTMETER (Rectifier Type) - C

TYPE	RANGES	M72 DC	M96 DC
Micro Ammeter	0-100 μ A to 0-750 μ A	681.00	737.00
Milli Ammeter	0-1mA to 0-60mA	576.00	632.00
	0-75mA to 0-750mA	576.00	632.00
Ammeter	0-1A to 0-50A (Direct)	576.00	632.00
	0-5A/75mV to 0-6000A/75mV (With External Shunt. (Shunt Price Extra)	576.00	632.00
Milli Voltmeter	0-50mV to 0-750mV	576.00	632.00
Voltmeter	0-1V to 0-6V	576.00	681.00
	0-10V to 0-60V	576.00	681.00
	0-75V to 0-1000V	619.00	681.00

DC MOVING COIL 240° LONG SCALE PANEL AMMETER & VOLTMETER - ML

HSN 9030

TYPE	RANGES	ML72 DC	ML96 DC	ML110 DC	ML144 DC
Micro Ammeter	0 to 500 μ A	995.00	1029.00	1496.00	1237.00
Milli Ammeter	0-1mA to 0-750mA				
Ammeter	0-1A to 0-30A (Direct)				
	0-5A/75mV to 0-6000A/75mV (With External Shunt. (Shunt Price Extra)				
Milli Voltmeter	0-50mV to 0-750mV	1238.00	1292.00	1496.00	1462.00
Voltmeter	0-1V to 0-1000V				

AC MOVING COIL 240° LONG SCALE PANEL AMMETER & VOLTMETER (Rectifier Type) - MLC

HSN 9030

TYPE	RANGES	MLC72 AC	MLC96 AC	MLC110 AC	MLC144 AC
Milli Ammeter	0-1mA to 0-750mA	1118.00	1131.00	1496.00	1288.00
Ammeter	0-1A to 0-5A (For higher ranges use external CT)				
Voltmeter	0-10V to 0-1000V (For higher ranges use external PT)	1318.00	1377.00	1496.00	1584.00

AC MOVING IRON DIN PANEL AMMETERS AND VOLTMETERS (INTERCHANGEABLE / SLIDING SCALE TYPE)-SQ

SUPPRESS SCALE CHARGES Rs. 25/- EXTRA

TYPE	RANGES	SQ72	SQ96
Ammeter	0-1A to 0-30A (Direct /CTR)	359.00	390.00
	0-40A to 0-100A (Direct)	452.00	470.00
Voltmeter	0-50V to 0-300V AC	341.00	452.00
	0-500V AC	391.00	470.00
	0-750 V AC	468.00	650.00

Business Terms & Conditions : ● **GST@ 18%** extra. ● This Price list cancels our previous price list. ● The quoted prices are Ex our shop / godown. ● Prices & Discounts subject to change without prior notice. ● Subject to Pune Jurisdiction.

Authorised Stockist for

KUSAM-MECO®

ELECTRICAL, ELECTRONIC TESTING,
MEASURING INSTRUMENTS & TRANSMITTERS

HSN CODE : 9030



	MODEL	DESCRIPTION	COUNTS	PRICE EACH
AC POWER CLAMP-ON-METER	2745	3 Phase, Power, Clamp Meter with KW, KVA, KVR, PF, Frequency, AC Current with Harmonics	9999	16450
	2709	3 Phase , KWHr, KVA, KW, KVAR, Power Factor, THD	9999	15650
	1812EL	Digital ELCB Tester		19275
DIGITAL MULTIMETERS	954MK-1	3&1/2 Digit LCR Meter with Microvawe and Zenner Diode	2000	6700
	333	3&1/2 Digit Capacitance Meter	2000	2950
	90	4 & 1/2 Digit Multimeter	20000	5450
	306	3&1/2 Digit multimeter + LCR Meter	2000	5725
	603	3 & 1/2 Digit Multimeter Large LCD Display	2000	1600
	207MK-1	3&1/2 Digit Multimeter Autoranging	4000	2100
	702	3&1/2 Digit Multimeter	2000	1100
	801L	3&3/4 Digit Multimeter Large Display	4000	2450
	108	3 & 1/2 Digit Multimeter LCD Display with 10 A Fused	2000	975
	6030	3&1/2 Digit with Mechanical Terminal Blocking	2000	2475
	6040	3&3/4 Digit Aotoranging with Mech. Terminal Blocking	3260	
	405	4&1/2 Digit (True RMS)	20000	8675
DIGITAL CLAMP METERS	999	3 & 1/2 Digit 1000A Digital AC Clampmeter	2000	4200
	2718	3 & 1/2 Digit 400A AC	2000	...
	2781	3 & 3/4 Digit 1000AAC / DC, LCD Display	4000	5250
	2799	3&3/4 Digit (600A) Dual Display Autoranging	4000	8150
	2700	3&1/2 Digit (300A) AC Large LCD Display	2000	3050
	9999	4 Digit True RMS Autoranging AC/DC Clamp meter with "INRUSH" Current Measurement (1000A)	9999	11900
	2754A	AC/DC Clampmeter high transient protection current 1000A DC, 800A AC	3999	7775
	2790	3 & 1/2 Digit 600 AAC Large LCD Display	2000	3000
	2772	AC Clampmeter 2000AAC True RMS And Non Contact EF Detection	6000	8725
	2007	3 & 3/4 Digit AC Leakage Clamp on meter - 40mA / 400mA /100A, 600VAC	3999	21300
		Software for 135 (Optional)		

MODEL	DESCRIPTION	COUNTS	PRICE EACH
DIGITAL INSULATION RESISTANCE METER			
KM-379	250 / 500 / 1000 V, with Multimeter Functions	1999	5125
KM-370	500 / 1000 / 2500 V, with Multimeter Functions	1999	6350
DIGITAL EARTH RESISTOR TESTER			
KM-1512	Earth Resistance Tester 0 - 20 / 200 / 2000 Ω Earth Voltage 200V AC	1999	
DIGITAL SOUND LEVEL METER			
KM-928	3&1/2 Digit Sound Level Meter with Analog Output	1999	...
TM-100	Sound Level Meter Calibrator 94 KHz & 114 KHz		19100
DIGITAL THERMO HYGRO METER			
KM-918	3&1/2 Digit Thermo Hygro Meter, Dual Display	1999	7875
KM-918A	3&1/2 Digit Thermo Hygro Meter, Clock, Temperature & Humidity Display		1200
KM-919	Digital Thermo Hygro Meter with Data Logger		...
DIGITAL THERMO ANEMOMETER			
KM-909	3&1/2 Digit Thermo Anemometer, Dual Display	1999	7875
DIGITAL LUX METER			
KM-LUX-99	Range 0 - 2000 / 20000 / 50000 Lux	1999	2000
KM-LUX-200K	Range 0 - 200000 Lux 0.01 - 20000 FC	1999	3425
DIGITAL TACHOMETER			
KM-2235B	Digital Tachometer (Contact Type) 5-9999 / 19999 RPM	19999	3375
KM-2234BL	Digital Tachometer (Non Contact Type) 5-9999 / 99999 RPM	99999	3050
KM-2241	Non Contact (Photo) Tachometer 2.5-99,999 RPM & Contact Tachometer 0.5-19,999 RPM, Surface Speed 0.05-1,999, 9M/Min	99999	4475
KM-2240	5 Digits 40,000 Counts Backlight LCD display	99999	13400
INFRARED THERMOMETER			
IRL 900	Non Contact with laser sighting Range : -30 to 550 $^{\circ}$ C		8000
IRL-1100	Non Contact with Temp. Range 50 $^{\circ}$ C - 1100 $^{\circ}$ C Ratio 50:1	1999	5150
IRL-380	Non Contact with Temp. Range 0 - 350 $^{\circ}$ C	1999	2675
DIGITAL HAND HELD TEMPERATURE INDICATOR			
KM-936	3&1/2 Digit Digital Thermometer (Single Channel) -50-399.9 $^{\circ}$ C/-50-1300 $^{\circ}$ F	1999	2250
KM-945	3&1/2 Digit Digital Thermometer (Dual Channel) -50-1300 $^{\circ}$ C	1999	2925
OSCILLOSCOPE			
KM-2010	Dual trace 20mHz Oscilloscope		35125
MOISTURE METER			
KM-963	Digital Wood Moisture Meter 5% - 40%		1575
KM-963-P	Digital Paper Moisture Meter 0 - 40%		4325
KM-963G	Digital Grain Moisture Meter		9425
DISTANCE METER			
		km973 (50) mtr	6150
KM-973	Digital Distance Meter upto 18.288 Mtrs. (60 Ft.)	km973 (30) mtr	1999
KM-981	Phase Sequence Indicator km 981- mk -1-		1800

Business Terms & Conditions : 1. This Price list cancels our previous price list. 2. The quoted prices are Ex our shop / godown. 3. VAT @ 13.5% extra. 4. Prices subject to change without prior notice. 5. Subject to Pune Jurisdiction. 6. Subject to availability of material.