

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apartment, First Floor, 527 Budhwar Peth, Tapkir Galli,

Pune - 411002. ☎ : 24456774, 24491816, 66029641 / 642.

M : 7875758405 / 08. 7875758265 / 7875758239

Email : sales@sanjayelectricalspune.com • accounts@sanjayelectricalspune.com

www.sannjayelectricalspune.com
PRICE LIST
WITH EFFECT FROM
1-10-2024
ACTUATORS

Description	Colours	Cat No.	Price	Pack
FLUSH KNOB Plastic Body	R,G,Y,BL,B,W	SG-AFPL	50	20
FLUSH KNOB	R,G,Y,BL,B,W	SG-AF	67	20
PROJECTED KNOB	R,G,Y,BL,B	SG-AP	76	20
BOOTED KNOB	R,G,Y,BL,B	SG-AB	93	20
MUSHROOM KNOB	R,G,B	SG-AM	98	10
JUMBO MUSHROOM KNOB	R,G,B	SG-AJM	112	20
MUSHROOM STAY PUT (Press to Lock. Turn to Reset)	RED	SG-AMS	115	10
JUMBO STAY PUT MUSHROOM (Press to Lock. Turn to Reset)	RED	SG-AJMS	183	10
SELECTOR TWO POSITION	BLACK	SG-A2	155	10
SELECTOR THREE POSITION	BLACK	SG-A3	155	10
SELECTOR SPRING RETURN 2 POSITION	BLACK	SG-SR2	196	10
SELECTOR SPRING RETURN 3 POSITION	BLACK	SG-SR3	212	20


TWIN/LUMINOUS ACTUATOR

TWIN ACTUATOR (FLUSH RED BUTTON)	R,GSG-10	145	20
LUMINOUS TWIN ACTUATOR	R,GSG-TLR	214	10
LUMINOUS TWIN ACTUATOR (Without Resistance)	R,GSG-TL	208	20


KEY LOCKABLE

KEY SELECTOR TWO POSITION	BLACK	SG-A2K	237	10
KEY SELECTOR THREE POSITION	BLACK	SG-A3K	237	10
KEY MUSHROOM LOCKABLE-OFF (Key removable in unpressed position)	RED	SG-AKM-F	268	10
KEY MUSHROOM LOCKABLE-ON (Key removable in pressed position)	RED	SG-AKM-O	252	10
(Press to Lock. Turn to Reset)	RED	SG-AKM-S	252	10


PILOT LIGHTS (SUITABLE FOR 220V, 110V, 60V, 48V & 24V (AC/DC))

PILOT LIGHT without resistance	R,G,A,B,Y,C	SG-AL	124	10
PILOT LIGHT with resistance	R,G,A,B,Y,C	SG-AR	130	10


LED / PILOT / LUMINOUS FLUSH / SELECTOR / BARREL TYPE (suitable for 6V, 12V, 24V, 48V, 60V, 110V, 220V AC / & 440V AC)

LED PILOT LIGHT	R,G,Y	LED-SGAR	164	10
LED PILOT LIGHT	W,B,C	LED-SGAR	237	10
LED LUMINOUS FLUSH KNOB	R,G,Y, W,B,C	LED-SGLFR	204	10
LED LUMINOUS SELECTOR KNOB	R,G,Y	LED-SGLSR	259	10
LED LUMINOUS SELECTOR KNOB	W,B,C	LED-SGLS	358	10
LED BARREL TYPE	R,G,Y	LED-SGBR	83	10
LED BARREL TYPE	W,B,C	LED-SGBR	170	10

Note : Rs. 16/- Shall be charged extra for Leakage Voltage Glow Protection (LVGP) Circuit fitted in LED indicator modules.


LED LIGHT 022MM BUZZER TYPE SG-AD22 (220VAC)

Cat No.	Price (Rs.)	Std. Pkg.	(Note Voltage)
SG-AD22-22DS RED/GREEN/YELLOW	64	10/500	12VDC/24VDC/110VAC
SG-AD22-22DS BLUE/WHITE	81	10/500	380VAC/415VAC


CONTACT BLOCKS
CM/L 9338183

Description	Colours	Cat No.	Price	Pack
CONTACT BLOCK with 1 No.	GREEN	SG-AO	48	50
CONTACT BLOCK with 1 Nc.	RED	SG-AC	48	50


PUSH BUTTON STATION HEAVY DUTY Aluminium DIE CAST With Push Button & Elements Ip54, IP55, IP65

With Flush Knob & 1 NO or NC Blocks				
ONE WAY	GREY	SGPBS-1	491	1
ONE WAY (with stayput)		SGPBS-1S	562	1
TWO WAY	GREY	SGPBS-2	697	1
TWO WAY (with stayput)		SGPBS-2S	756	1
THREE WAY	GREY	SGPBS-3	905	1
FOUR WAY	GREY	SGPBS-4	1160	1
SIX WAY	GREY	SGPBS-6	1795	1
EIGHT WAY	GREY	SGPBS-8	2143	1



PENDENT PUSH BUTTON STATION HEAVY DUTY Aluminium DIE CAST With Push Button & Elements IP54, IP55, IP65

DIE CAST Aluminium housing with		Cat No.	Price	Pack
Flush Knob & 1 NO + NC Blocks				
ONE WAY	GREY	SGPPBS-1	696	1
TWO WAY	GREY	SGPPBS-2	1042	1
THREE WAY	GREY	SGPPBS-3	1320	1
FOUR WAY	GREY	SGPPBS-4	1675	1
FIVE WAY	GREY	SGPPBS-5	2027	1
SIX WAY	GREY	SGPPBS-6	2395	1
EIGHT WAY	GREY	SGPPBS-8	2997	1
TEN WAY	GREY	SGPPBS-10	3684	1
TWELVE WAY	GREY	SGPPBS-12	4589	1



EMPTY BOX FOR PUSH BUTTON STATION HEAVY DUTY Aluminium DIE CAST Ip54, IP55, IP65

ONE WAY	GREY	SG PBSMT-1	423	1
TWO WAY	GREY	SG PBSMT-2	634	1
THREE WAY	GREY	SG PBSMT-3	662	1
FOUR WAY	GREY	SG PBSMT-4	822	1



ACCESSORIES

Filament Bulb BA9S - 130V, 48V, 24V		SGBLB	31	100
Spare Lens suitable for Pilot Lights	R,G,A,B,C	SGPL-SL	18	50
Complete Lens				
with metal holder for Pilot Lights	R,G,A,B,C	SGPL-CL	70	10
Complete Lens with metal holder for	R,G,A,B,C	SGLF-CL	79	10
Luminous Selector Knob		SGLF-LSCL	159	10
Spare Boot suitable				
For Booted Actuator		SGAB-SB	35	50
Legend Plate with inscription				
ON, OF, START		SG-LP	13	100
STOP, FORWARD, REVERSE, UP, DOWN, RESET, Adaptor for				
Assembly of 22.0mm in 30.5mm		SGADOP	15	100

Note : DC LED/PILOT LIGHT PRICE RS. 11/- EXTRA* Denotes the various colour of knobs & Lenses * R-Red, G-Green, A-Amber BL-Black, B-Blue, Y-Yellow, W-White, C-Clear *

FOOT SWITCH / Aluminium casting powder coated

Description		Cat No.	Price	Pack
10A/250V	Foot Switch Big	SG/FSB	2662	1
1 NO + 1 NC	Foot Switch Medium	SG/FSM	744	1
	Foot Switch Small	SG/FSS	660	1

Element for SG/FSB 1 NO+1NC FSB-E1 Rs. 250 Element For SG/ FSB 2 NO+ 2NC FSB-E2 Rs. 400



HRC FUSE LINKS 2 AMP to 630 AMP With



(Part-2/Sec-1) : 1993



(Part-2/Sec-1) : 1993



(Part-2/Sec-1) : 1993



Type SGTIA - 660V AC Offset Tags (2 hole fixing - Bolted) Confirms to IS : 13703 IEC 269

Rating	Cat No.	Std. Pkg	Unit Price
Amp.		Nos.	(Rs.)
8	SG-TIA 6	10	110
10	SG-TIA 10	10	110
16	SG-TIA 16	10	110
20	SG-TIA 20	10	110
25	SG-TIA 25	10	110
32	SG-TIA 32	10	110
36	SG-TIS 36	10	110
50	SG-TIS 50	10	119
63	SG-TIS 63	10	119
80	SG-TCP 80	6	226
100	SG-TCP 100	6	235
125	SG-TCP 125	6	256
125	SG-TFP 125	6	347
160	SG-TFP 160	6	357
200	SG-TFP 200	6	367

Fuse Links Type SG-FR 415V, 50Hz Confirms to IS : 13703 IEC 269

Rating	Cat No.	Std. Pkg	Unit Price
Amp.		Nos.	(Rs.)
2A	SG-FR 2A	20	75
4A	SG-FR 4A	20	75
6A	SG-FR 6A	20	75
8A	SG-FR 8A	20	75
10A	SG-FR 10A	20	75
16A	SG-FR 16A	20	75
20A	SG-FR 20A	20	75
25A	SG-FR 25A	20	75
32A	SG-FR 32A	20	75
40A	SG-FR 40A	20	94
50A	SG-FR 50A	20	94
63A	SG-FR 63A	20	94

HRC Fuses (DIN Type) Upto 630A, 415V, AC, 50Hz Breaking Capacity 80 kA Confirms to IS : 13703 IEC 269

Size	Rating	Cat No.	Std. Pkg	Unit Price
Amp.		(Nos.)	(Rs.)	
00'	6 AMP	SGF 6	3	268
00'	10 AMP	SGF 10	3	268
00'	16 AMP	SGF 16	3	268
00'	20 AMP	SGF 20	3	268
00'	25 AMP	SGF 25	3	268
00'	32 AMP	SGF 32	3	268
00'	40 AMP	SGF 40	3	268
00'	50 AMP	SGF 50	3	268
00'	63 AMP	SGF 63	3	268
00'	80 AMP	SGF 80	3	268
00'	100 AMP	SGF 100	3	268
00'	125 AMP	SGF 125	3	268
00'	160 AMP	SGF 160	3	332
1'	125 AMP	SGF 125	3	427
1'	160 AMP	SGF 160	3	434
1'	200 AMP	SGF 200	3	454
1'	250 AMP	SGF 250	3	465
2'	315 AMP	SGF 315	3	620
2'	400 AMP	SGF 400	3	677
3'	500 AMP	SGF 500	1	896
3'	630 AMP	SGF 630	1	947
3'	800 AMP	SGF 800	1	1024

Type - SGNS Fuse Link with Staggered Tags 415 V AC Confirm to IS : 13703 IEC 269

Rating	Cat No.	Std. Pkg	Unit Price
Amp.		Nos.	(Rs.)
2	SG-NS 2	20	53
4	SG-NS 4	20	53
6	SG-NS 6	20	53
10	SG-NS 10	20	53
16	SG-NS 16	20	53
20	SG-NS 20	20	56
25	SG-NS 25	20	56
32	SG-NS 32	20	56

Type SGTSA - 415V AC Offset Tags (2 hole fixing - Bolted) Confirms to IS : 13703 IEC 269

Rating	Cat No.	Std. Pkg	Unit Price
Amp.		Nos.	(Rs.)
6	SG-TSA 6	6	76
10	SG-TSA 10	6	76
16	SG-TSA 16	6	76
20	SG-TSA 20	6	76
25	SG-TSA 25	6	76
32	SG-TSA 32	6	76
36	SG-TSS 36	6	94
50	SG-TSS 50	6	94
63	SG-TSS 63	6	94
80	SG-TSDS 80	6	172
100	SG-TSDS 100	6	175
125	SG-TSDS 125	6	182
80	SG-TSD 80	6	189
100	SG-TSD 100	6	192
125	SG-TSD 125	6	195
125	SG-TSFP 125	6	302
160	SG-TSFP 160	6	320
200	SG-TSFP 200	6	330

Central Tags (2 hole fixing - Bolted) Confirm to IS : 13703 IEC 269

Rating	Cat No.	Std. Pkg	Unit Price
Amp.		Nos.	(Rs.)
80	SG-TSDC 80	6	210
100	SG-TSDC 125	6	210
125	SG-TSF 125	6	324
160	SG-TSF 160	6	330
200	SG-TSF 200	6	340
250	SG-TSF 250	6	350
250	SG-TSK 250	6	504
315	SG-TSK 315	3	525
400	SG-TSMS 400	3	891

Moulded Fuse Base & Carrier Enclosed Type Confirms to IS : 13703, IEC 269

Description	Cat No.	Std.	Unit Price
Amp.	Nos.	Pkg	(Rs.)
20 Front Connection	SGH-20	10	196
20 Bus bar Connection	SGB-20	10	168
32 Front Connection	SGH-32	10	226
32 Bus bar Connection	SGB-32	10	246
63 Front Connection	SGH-63	10	317
63 Bus bar Connection	SGB-63	10	394
125 Front Connection	SGH-125	3	827
125 Bus bar Connection	SGB-125	3	924




HRC Fuse base open type (BAKELITE)

Rating	Cat No.	Std.	Unit Price
Amp.		Pkg	(Rs.)
125	SGL-125B	3	195
160	SGS-160B	3	210
250	SGS-250B	3	630
400	SGS-400B	3	914
630	SGS-630B	3	1470



REVERSE FORWARD HEAVY DUTY WITH HOUSING

Conform to IS : 13947-3 AC-3

	Amp	Volt	Cat No.	Price
	20Amp.	440 Volt	SG 20 RF	488

S.S. TYPE PLUG & SOCKET UPTO 12 PIN 32 A-500V IP55, IP65

	3 PIN	4 PIN	5 PIN	12 PIN
PLUG	604	640	683	1215
SOCKET	604	640	683	1215



NEW : Empty box for S.S. TYPE PLUG & SOCKET Rs. 1543/-

PLUG & SOCKET SHEET STEEL ENCLOSURES

Powder Coating with Neutral Link (without MCB) Plug & Socket






Amp. Rating	VOLT	CAT NO.	Price
10 Amp.	250V	SG-PS/SP	676
20 Amp.	250V	SG-PS/SP2	763
20 Amp.	440V	SG-PS/TP2	1437
30 Amp.	440V	SG-PS/TP3	1833
63 Amp.	440V	SG-PS/TP63	6966
63 Amp. ACMT Box			1650
Powder Coating with Neutral Link without MCB			






CURRENT TRANSFORMER (CT), CAM OPERATED ROTARY SWITCH, ASS, VSS

CAM OPERATED ROTARY SWITCHES

Switching	Pole	Cat No.	10 Amps. (Rs.)	16 Amps. (Rs.)	25 Amps. (Rs.)	32 Amps. (Rs.)	40 Amps. (Rs.)	63 Amps. (Rs.)
ON-OFF 	1	SG 195	233	244	252	330	444	499
	2	SG 198	272	283	319	396	519	633
	3	SG 197	310	330	407	442	603	843
	4	SG 196	337	349	531	554	671	1031
TWO WAY WITH NO OFF 	1	SG 037	290	300	315	386	519	554
	2	SG 038	336	349	366	473	720	765
	3	SG 039	406	442	489	595	900	995
	4	SG 040	497	520	595	744	1055	1203
TWO WAY WITH OFF 	1	SG 151	297	312	330	356	504	771
	2	SG 152	328	349	471	489	790	1015
	3	SG 153	424	464	651	744	842	1358
	4	SG 154	500	538	700	938	1015	1678
THREE WAY WITH OFF 	1	SG 060	386	406	470	478	777	856
	2	SG 080	444	471	496	522	765	931
	3	SG 100	471	672	762	795	1089	1415
	4	SG 131	671	803	920	1030	1470	1717
FOUR WAY WITH NO OFF 	1	SG 050	391	400	444	464	729	918
	2	SG 070	464	480	538	595	826	1066
	3	SG 090	502	730	845	956	1126	1489
	4	SG 121	673	862	1030	1111	1490	1870






AMMETER SELECTOR SWITCHES

Switching	Pole	Type	Description	Price
	3	SG 10 Amp	To read current through	247
	3	SG 6 Amp	CT's in each Phase and with OFF	211
	3	SG 10 Amp	Direct Reading Ammeter	817
	3	SG 16 Amp	Selector Switches	862
	3	SG 25 Amp	Without CT's	987



V.S.S AND A.S.S. (SLEEK TYPE) VOLTMETER SELECTOR SWITCHES

Switching	Pole	Type	Description	Price
	3	SG 10 Amp	Voltage between Phase with OFF	219
	3	SG 6 Amp	-do-	164
	3	SG 10 Amp	Voltage between Phase to Phase and Phase to neutral with OFF	497
	3	SG 6 Amp	-do-	304
	3	SG 6 Amp	Voltage between Phase to neutral with OFF	290
	3	SG 10 Amp	Voltage between Phase to Phase and Phase to neutral with OFF	497





CAM OPERATED ROTARY SWITCH

REVERSE FORWARD SWITCH CAM OPERATED

OFF F O R	Amp.	16 Amp.	25 Amp.	32 Amp.	40 Amp.	63 Amp.
	Cat No.	SG 211	SG 211	SG 211	SG 211	SG 211
	Price (Rs.)	487	506	621	1362	1738

Note : Housing also available for reverse-forward switch SG-211 (upto 32A), MRP for Housing Rs. 237/- Extra.



SWITCHES & AMPS.

Switching	Pole	Cat No.	Price (Rs.)	Switching	Pole	Cat No.	Price (Rs.)
ON-OFF 	1	SG 001	129	7 WAY WITH OFF 	1	SG 064	284
	2	SG 002	145		2	SG 084	492
	3	SG 003	161		3	SG 104	657
	4	SG 004	208				
2 WAY WITH NO OFF 	1	SG 037	138	7 WAY WITH NO OFF 	1	SG 053	284
	2	SG 038	179		2	SG 073	496
	3	SG 039	214		3	SG 093	682
	4	SG 040	269				
2 WAY WITH OFF 	1	SG 025	147	8 WAY WITH NO OFF 	1	SG 054	295
	2	SG 026	186		2	SG 074	533
	3	SG 027	219		3	SG 094	727
	4	SG 028	270				
3 WAY WITH NO OFF 	1	SG 049	156	8 WAY WITH OFF 	1	SG 065	326
	2	SG 069	212		2	SG 085	540
	3	SG 089	324				
	4	SG 120	398				
3 WAY WITH OFF 	1	SG 060	158	9 WAY WITH NO OFF 	1	SG 055	348
	2	SG 080	217		2	SG 075	580
	3	SG 100	326				
	4	SG 131	403				
4 WAY WITH NO OFF 	1	SG 050	156	9 WAY WITH OFF 	1	SG 066	347
	2	SG 070	252		2	SG 086	655
	3	SG 090	232				
	4	SG 121	472				
4 WAY WITH OFF 	1	SG 061	194	10 WAY WITH OFF 	1	SG 056	367
	2	SG 081	317		2	SG 076	632
	3	SG 101	447				
	4	SG 132	527				
5 WAY WITH NO OFF 	1	SG 051	211	10 WAY WITH NO OFF 	1	SG 067	580
	2	SG 071	363		2	SG 087	73
	3	SG 091	496				
5 WAY WITH OFF 	1	SG 062	219	11 WAY WITH NO OFF 	1	SG 057	413
	2	SG 082	360		2	SG 077	718
	3	SG 102	523				
6 WAY WITH NO OFF 	1	SG 052	219	11 WAY WITH OFF 	1	SG 068	413
	2	SG 072	417		2	SG 088	725
	3	SG 092	552				
6 WAY WITH OFF 	1	SG 063	285	12 WAY WITH NO OFF 	1	SG 058	421
	2	SG 083	492		2	SG 078	772
	3	SG 103	658				





HOOTER, BUZZER, OIL TIGHT LIMIT SWITCH

HOOTER, BUZZER, OIL TIGHT LIMIT SWITCH TYPE SGL

INDUSTRIAL HOOTER & SOLID STATE BUZZER RANGE - 50 MTR., SOUND LEVEL : 95DB - 120 DB


DESCRIPTION	CAT NO.	PRICE	PACK
INDUSTRIAL HOOTER AC			
FOR : 220V AC	SG-IH-1	672	1
110V AC	SG-IH-2	672	1
24V AC	SG-IH-3	672	1
INDUSTRIAL HOOTER DC			
FOR : 220V DC	SG-IH-1D	672	1
110V DC	SG-IH-2D	672	1
48V DC	SG-IH-3D	672	1
24V DC	SG-IH-4D	672	1
SOLID STATE BUZZER AC Three Tone			
12V AC	SGB-12A	641	1
24V AC	SGB-24A	641	1
48V AC	SGB-48A	641	1
110V AC	SGB-110A	641	1
220V AC	SGB-220A	641	1
440V AC	SGB-440A	641	1
SOLID STATE BUZZER DC			
12V DC to 220V DC	SGB-120	641	1




INDUSTRIAL HEAVY DUTY PLUG & SOCKETS

METAL CLAD PLUGS, SOCKETS

DESCRIPTION	CAT NO.	PRICE	PACK
250V, 2 POLE & EARTH			
10 Amp. Plug	SGP 1	137	30
10 Amp. Socket with Cap	SGS 1	144	30
20 Amp. Plug	SGP 2	158	20
20 Amp. Socket with Cap	SGS 2	168	20
440V, 3POLE & EARTH			
20 Amp. Plug	SGP 3	198	20
20 Amp. Socket with Cap	SGS 3	213	20
30 Amp. Plug	SGP 4	420	10
30 Amp. Socket with Cap	SGS 4	452	10
63 Amp. 440V			
Metalclad Plug	SGP-63	2588	01
63 Amp. 440V			
Metalclad Socket	SGS-63	2728	01




POWER CONTACTORS 4 POLE AC		SUITABLE FOR
16 AMP TO 40 AMP TYPE UCH		BCH
STANDARD COIL VOLTAGE 24, 48, 110, 220/240 & 380/415V AC 50 Hz. MAX. 3 PH MOTOR OUTPUT AT 415 V AC		
AMP	CAT. NO.	PRICE Rs. (EACH)
16	UCH 16A	1870
25	UCH 25A	2310
40	UCH 40A	2860



POWER CONTACTORS 2 POLE AC				SUITABLE FOR
16 AMP TO 32 AMP TYPE 'US'				SIEMENS
STANDARD COIL VOLTAGE 24, 48, 110, 220/240 & 380/415V AC 50 Hz				
AMP	CAT. NO.	PRICE	PRICE SPARE KIT	PRICE SPARE COIL
16	US-21	1100	535	470
32	US-11	4510	1331	935

DOL MOTOR STARTER			
(IN SHEET STEEL ENCLOSURE MOTOR RATING AC-3 DUTY, 415V, 50Hz, 3 PH) MAX. 3 PH MOTOR OUTPUT AT 415 V AC			
HP	KW	RELAY RANGE AMP	PRICE PER UNIT
UPTO 7.5	5.5	3-5 / 6-10 / 9-14	1760
7.5	5.5	11-18	1980
MINI STARTER (UT-1)		6-10 / 9-14	990



STAR DELTA STARTER (FULLY AUTO)			
(IN SHEET STEEL ENCLOSURE MOTOR RATING AC-3 DUTY, 415V, 50Hz, 3 PH)			
CAT No.	HP	RELAY RANGE	PRICE
UT-1-FASD	12.5	9-14	5720
UL-1.5-FASD	25	13-22	11858
UL-2-FASD	35	20-32	20812

3 POLE POWER CONTACTOR (L&T Type)		
AMP	DESCRIPTION	PRICE
25 A	UL 1.5	1711
32 A	UL 2	3460
40A	UL 3	3872
70A	UL 4	9196



SANJAY

electrical

House of Switchgear, Control Panel Accessories, Wires & Cables

Pittale Apartment, First Floor, 527 Budhwar Peth, Tapkir Galli, Pune - 411002.
 ☎ : 24456774, 24491816, 66029641 / 642.
 M : 7875758405 / 08. 7875758265 / 7875758239
 Email : sales@sanjayelectricalspune.com
 ● accounts@sanjayelectricalspune.com
 www.sanjayelectricalspune.com

TERMS & CONDITIONS :

- PRICES ARE SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE.
- GST EXTRA AS APPLICABLE
- GOODS SOLD WILL NOT BE TAKEN BACK
- THIS PRICE LIST CANCELS ALL OUR PREVIOUS PRICE LISTS.
- SUBJECT TO PUNE JURISDICTION ONLY.