

IS:13947  
(PART-5/SECT.1)IS:13703  
(PART-2/SECT.1)

IS:8828



IS:3854



IS:1293

IS:13947  
(PART 3)

## PRICE LIST

EFFECTIVE FROM 01 MAR 2021

### OUR PRODUCT RANGE

- CONTROL & SIGNALING DEVICES 22.5 O MM
- PUSH BUTTON STATIONS UPTO 8 WAYS
- PENDANT PUSH BUTTON STATIONS UPTO 12 WAYS
- CAM OPERATED ROTARY SWITCHES UPTO 63 AMP & V.S.S. & A.S.S. & REVERSE FORWARD
- METALCLAD PLUG & SOCKETS UPTO 63 AMP
- S.S. TYPE PLUG & SOCKET UPTO 12 PINS
- OPEN TYPE FUSE BASE ( BAKELITE & DMC) UPTO 630A
- ENCLOSED TYPE FUSE BASE & CARRIER UPTO 125A
- SOLID STATE INDUSTRIAL HOOTERS & BUZZERS
- HEAVY DUTY FOOT SWITCHES
- FUSE LINKS UPTO 630A
- OIL TIGHT LIMIT SWITCHES
- AC & DC METERS & C.T.s
- MCBs (10kA) UPTO 63A
- RCCBs
- ISOLATOR UPTO 100A
- MCB DISTRIBUTION BOARDS
- PANEL FANS
- MOTOR STARTERS
- POWER CONTACTORS / BIMETAL OVERLOAD RELAYS
- MOULDED CASE CIRCUIT BREAKER (MCCBs) UPTO 400A

AUTHORISED STOCKIST

**SANJAY**  
electrical

OFFICE HOURS : 9-30 A.M. TO 2.00 P.M.  
& 2.30 P.M. TO 7.30 P.M.

**House of Switchgear,  
Control Panel Accessories,  
Wires & Cables**

Pittale Apartment, First Floor,  
527 Budhwar Peth,  
Tapkir Galli, Pune - 411002.  
☎ : 24456774, 24491816,  
24491816, 66029641 / 642.

M : 7875758405 / 08 ; 7420010397

Email : sanjayelectricals@rediffmail.com  
sanjayelt@gmail.com

## NEW CONTROL UNITS & SIGNALING DEVICES IN DIA 22.5 MM (HSN 85365090)

DESCRIPTION	COLOURS	CAT. NO.	PRICE	PACK.
-------------	---------	----------	-------	-------

### ACTUATORS



FLUSH KNOB	R, G, BL, B	SG-AF	59	20
PROJECTED KNOB	R, G, BL, B	SG-AP	76	20
BOOTED KNOB	R, G, Y, BL, BK	SG-AB	93	20
MUSHROOM KNOB	R, G, B	SG-AM	88	10
JUMBO MUSHROOM KNOB	R, G, BK	SG-AJM	112	10
JUMBO STAY PUT MUSHROOM	RED	SG-AJMS	183	10
MUSHROOM STAY PUT	RED	SG-AMS	115	10
SELECTOR 2 POS.	BLACK	SG-A2	155	10
SELECTOR 3 POS.	BLACK	SG-A3	155	10
SELECTOR SPRING RETURN 2 POS.	BLACK	SG-SR2	196	10
SELECTOR SPRING RETURN 3 POS.	BLACK	SG-SR3	212	10
TWIN ACTUATOR (FLUSH RED BUTTON)	R, G	SG-10	145	10

### CONTACT BLOCKS



CONTACT BLOCK WITH 1 NO	GREEN	SG-AO	48	50
CONTACT BLOCK WITH 1 NC	RED	SG-AC	48	50

### KEY LOCKABLE



KEY SELECTOR 2 POS.	BLACK	SG-A2K	237	10
KEY SELECTOR 3 POS.	BLACK	SG-A3K	237	10
KEY MUSHROOM LOCKABLE - OFF <small>PRESS TO LOCK TURN TO RESET</small>	RED	SG-AKM-S	252	10
KEY MUSHROOM LOCKABLE - ON <small>KEY REMOVABLE IN PRESSED POSITION</small>	RED	SG-AKM-O	252	10



### LUMINOUS TWIN ACTUATOR

TWIN LUMINOUS ACTUATOR <small>WITH FLUSH GREEN BUTTON MARKED I, PROJECTING RED BUTTON MARKED O WITH WHITE LENS, WITH SERIES RESISTANCE WITH BULB SUITABLE FOR OPERATING AT 220V, 110 V, 48V &amp; 24V</small>	R, G	SG-TLR	214	10
--	------	--------	-----	----

**HSN 8536**

DESCRIPTION	COLOURS	CAT. NO.	PRICE	PACK.
-------------	---------	----------	-------	-------

### PILOT LIGHTS



LED PILOT LIGHTS	R, G, Y	SG-AR-LED	164	10
LED PILOT LIGHTS	BL, W	SG-AR-LED	237	10

### LED LUMINOUS FLUSH KNOB FOR 220V, 110V, 48V & 24V



LED LUMINOUS FLUSH KNOB	R, G, Y	SG-LFR-LED	175	10
LED LUMINOUS FLUSH KNOB	BL, W	SG-LFR-LED	201	10

### LED LUMINOUS SELECTOR KNOB FOR 220V, 110V, 48V & 24V




LED LUMINOUS SELECTOR KNOB	R, G, Y	SG-LSR-LED	259	10
LED LUMINOUS SELECTOR KNOB	BL, W	SG-LSR-LED	358	10


## ACCESSORIES FOR SIGNALING CONTROLS

FILAMENT BULB BA9S (2.6W)	GREY	SGBLB	28	100
SPARE LENS FOR PILOT LIGHTS	R, G, A, BL	SGPL-SL	16	50
COMPLETE LENS FOR PILOT LIGHTS	R, G, A, BL	SGPL-CL	64	10
COMPLETE LENS FOR LUMINOUS	R, G, A, BL	SGLF-CL	72	10
LUMINOUS SELECTOR KNOB ONLY	R, G, A, BL	SG-LSR-LS	145	10
SPARE BOOT FOR ACTUATOR		SGAB-SB	32	50
LEGEND PLATES		SG-IP	12	100
ADAPTER FOR ASSEMBLY OF 22.5 MM IN 30.5 MM		SGADOP	14	100

### Push Button Station




### Pendant Push Button Station



### M.T- Push Button Station



ONE WAY	SGPBS-1	446	SGPPBS-1	603	SGPBS MT-1	384
TWO WAY	SGPBS-2	632	SGPPBS-2	902	SGPBS MT-2	485
THREE WAY	SGPBS-3	821	SGPPBS-3	1143	SGPBS MT-3	600
FOUR WAY	SGPBS-4	1052	SGPPBS-4	1450	SGPBS MT-4	746
SIX WAY	SGPBS-6	1573	SGPPBS-6	2074		
EIGHT WAY	SGPBS-8	1944	SGPPBS-8	2595		
TEN WAY			SGPPBS-10	3190		
TWELVE WAY			SGPPBS-12	3973		



## Foot Switch (10A/250V, 1 NO + 1 NC)

Description	CAT No.	MRP
Heavy Duty Big Foot Switch	SG/FSB	2262
Heavy Duty Small Foot Switch	SG/FSM	669
Small Foot Switch With Wire	SG/FSS	593
Element For H/D Big Foot Switch	SG/FSE	181

## Industrial Hooter & Solid State Buzzer

Range : 50 Mtrs, Sound Level 95 Db - 120 Db

Description	CAT No.	MRP
-------------	---------	-----

### Industrial Hooter

220 V, 110V, 24 V AC	SG-IH	687
220v, 110V, 24 V DC	SG-IH-D	863
Multi Voltage Hooter 24V AC / DC 220 V AC	SG-IH-M	697

### Solid State Buzzer (HSN 8536/ 8531)

AC12 V - 230 V AC Single Tone	SGB-A1	697
AC12 V - 230 V AC Three Tones	SGB-A3	697
3 Tones 12 V DC To 220 V DC	SGB-D	697
Multi Tone 12V AC /DC to 220V AC/DC	STS-1	697



## MINIATURE CIRCUIT BREAKERS

BREAKING CAPACITY  
10 kA, 240/415 V 50 Hz, AC

HSN 8536

### C SERIES

RATING AMP.	SP	DP	TP	FP
0.5 TO 5	160	492	700	983
6 TO 32	112	402	605	843
40	188	521	860	1080
50 / 63	216	596	970	1217

### ISOLATORS

240V / 415V, 50 Hz AC SUPPLY

RATING AMP.	DP	TP	FP
40	297	438	603
63	333	550	670
100	407	654	776

### RESIDUAL CURRENT CIRCUIT BREAKER (RCCB)

36 mm WIDTH-2 POLE MODULE, 70mm WIDTH 4 POLE MODULE

CONFORMS TO IS:12640-1988

240/415V 50Hz WITH 6 kA SHORT CIRCUIT WITHSTAND CAPACITY

RATING AMP.	30 mA 2P	30 mA 4P	100/300mA 2P	100/300mA 4P
25	1554	1809	1524	1745
40	1617	1904	1584	1807
63	1775	2284	1903	2095
100	1889	2538	2113	2327

**STS**

### HEAVY DUTY GONG BELL (HSN 8536)



Description	CAT No.	Price Each
Single Phase 230 V- 4" Range 50 Mtr.	SGB-AC	850.00
Single Phase 220V AC-6" Range 50 Mtr.	SGB-AC	1000.00

# LIMIT SWITCHES

## STANDARD OIL TIGHT LIMIT SWITCH TYPE SGL WITH 1 NO + 1 NC CONTACTS (10 AMP)


TYPE	DESCRIPTION	CAT NO.	PRICE
ROLLER LEVER	ROLLER LEVER 38 MM LONG WITH 19 MM DIA. 8 MM WIDE METAL ROLLER	SGL-1	715.00
	ROLLER LEVER 76.2 MM LONG WITH 19 MM DIA. 8 MM WIDE METAL ROLLER	SGL-2	715.00
	ADJ. ROLLER LEVER FROM 32 MM TO 82.5 MM WITH 19 MM DIA. 8 MM WIDE METAL ROLLER	SGL-A	715.00
PUSH ROLLER	TOP PUSH ROLLER OPERATOR WITH 11.1 MM DIA 4 MM WIDE METAL ROLLER	SGL-TPR	715.00
PUSH BUTTON	TOP PUSH BUTTON OPERATOR, ADJUSTABLE UPTO 8 MM	SGL-TPBA	715.00
GENERAL PURPOSE	GENERAL PURPOSE ANGULAR ROLLER LIMIT SWITCH	SGL-GS	398.00

### SPARES FOR THE SGL LIMIT SWITCHES

DESCRIPTION	CAT NO.	PRICE
30/35/38 MM LONG LEVER	SGL-S1	150.00
76.2 LONG LEVER	SGL-S2	210.00
50 MM LONG LEVER	SGL-S3	190.00
ADJUSTABLE LEVER	SGL-SLA	190.00
FORK TYPE LEVER (IN LINE)	SGL-SLF	300.00
FORK TYPE LEVER (OFFSET)	SGL-SFLO	300.00

**LEVERS**

DESCRIPTION	CAT NO.	PRICE
BASIC SWITCH ELEMENT	SGL-SE	340.00




### LIMIT SWITCHES WITH 2 CONTACTS IN OIL TIGHT DIE CAST ALUMINIUM HOUSING - IP 67 TYPE SGS

ACTUATOR TYPE CONTACTS ( 1 NO + 1NC)	NORMAL		SNAP ACTION	
	CAT NO.	PRICE	CAT NO.	PRICE
WITH PUSH ROD	SGS 3100-0B	476.00	SGS 3100-1B	515.00
WITH NORMAL ROLLER LEVER	SGS 3100-0E	551.00	SGS 3100-1E	567.00
WITH ANGULAR ROLLER LEVER	SGS 3100-0F	568.00	SGS 3100-1F	578.00

**LIMIT SWITCHES WITH 2 CONTACTS (OPEN TYPE)**

PUSH ROD & PLASTIC PROTECTIVE COVER ( 1NO+1NC)	SGS 3020-0A	156.00	SGS 3020-1A	175.00
--	-------------	--------	-------------	--------



### B.P.L. TYPE CURRENT TRANSFORMERS (HSN 85042100) 5VA, 10VA, 15VA CLASS 1.0 AS PER IS 2705 - 92

RATING	BURDEN IN VA	UNIT PRICE	RATING	BURDEN IN VA	UNIT PRICE
30, 50, 60, 75, 100, 150, 200/5A	5 VA	340	600/5A	15 VA	436
30, 50, 60, 75, 100, 150, 200/5A	15 VA	451	800/5A	15 VA	503
250/5A	15 VA	365	1000/5A	15 VA	519
300/5A	15 VA	370	1200/A	15 VA	570
400/5A	15 VA	400	1500, 1600/5A	15 VA	749
500/5A	15 VA	431	2000, 2500 A	15 VA	887



# SWITCHES 6 AMPS.

HSN 85365090

SWITCHING	POLE	PROGRAMME	PRICE Rs.
ON-OFF 0 ○ 1 (60°)	1	SG001	104.00
	2	SG002	130.00
	3	SG003	141.00
	4	SG004	170.00
2 WAY NO OFF 1 ○ 2 (60°)	1	SG037	130.00
	2	SG038	169.00
	3	SG039	202.00
	4	SG040	254.00
2 WAY WITH OFF 0 1 ○ 2	1	SG025	132.00
	2	SG026	170.00
	3	SG027	202.00
	4	SG028	255.00
3 WAY NO OFF 0 1 ○ 2 (60°)	1	SG049	147.00
	2	SG069	200.00
	3	SG089	306.00
	4	SG120	375.00

SWITCHING	POLE	PROGRAMME	PRICE Rs.
3 WAY WITH OFF OFF 3 ○ 1 2 (90°)	1	SG060	149.00
	2	SG080	205.00
	3	SG100	308.00
	4	SG131	380.00
4 WAY NO OFF 1 4 ○ 2 3 (90°)	1	SG050	147.00
	2	SG070	238.00
	3	SG090	219.00
	4	SG121	445.00
4 WAY WITH OFF 0 1 4 ○ 2 3 (60°)	1	SG061	183.00
	2	SG081	299.00
	3	SG101	422.00
	4	SG132	497.00
5 WAY NO OFF	1	SG051	199.00
	2	SG071	342.00
	3	SG091	468.00

SWITCHING	POLE	PROGRAMME	PRICE Rs.
5 WAY WITH OFF 0 5 ○ 1 4 3 2 (60°)	1	SG062	207.00
	2	SG082	340.00
	3	SG102	493.00
6 WAY NO OFF 1 6 ○ 2 5 4 3 (60°)	1	SG052	207.00
	2	SG072	393.00
	3	SG092	521.00
6 WAY WITH OFF 0 1 6 ○ 2 5 4 3 (60°)	1	SG063	269.00
	2	SG083	464.00
	3	SG103	621.00

## AMMETER SELECTOR SWITCHES

SWITCHING	POLE	TYPE	DESCRIPTION	PRICE Rs.
OFF B ○ R Y	3	SG 6 AMP	TO READ CURRENT THROUGH CT's IN EACH PHASE AND WITH OFF	233.00


## REVERSE FORWARD

SWITCHING	CURRENT AMP	CAT. NO.	PRICE	
			OPEN	IN SS
0 1 ○ 2	16 A	SG211	420.00	637.00
	25 A	SG211	437.00	654.00
	32 A	SG211	508.00	720.00
	40 A	SG211	1166.00	1383.00
	63 A	SG211	1488.00	1705.00

## VOLTMETER SELECTOR SWITCHES

SWITCHING	POLE	TYPE	DESCRIPTION	PRICE Rs.
OFF BR ○ RY YB	3	SG 6 AMP	VOLTAGE BETWEEN PHASES WITH OFF	152
OFF RY ○ RM YB ○ YN BR ○ BN	3	SG 6 AMP	VOLTAGE BETWEEN PHASE TO PHASE TO NEUTRAL WITH OFF	274.00
OFF BN ○ RN YN	3	SG 6 AMP	VOLTAGE BETWEEN PHASE TO NEUTRAL WITH OFF	287.00

## REVERSE FORWARD SWITCH UNBREAKABLE WITH HOUSING CONFORMS TO IS 13947-3 AC-3









DESCRIPTION	CAT NO.	PRICE / UNIT
20 AMP 440 V	SG20RF	404.00
Spare Handle	-----	70.00





## CAM OPERATED ROTARY SWITCHES


HSN 85365090

SWITCHING	POLE	CAT. NO.	10 AMP Rs.	16 AMP Rs.	25 AMP Rs.	32 AMP Rs.	40 AMP Rs.	63 AMP Rs.
ON - OFF 	1	SG195	210	219	227	296	399	449
	2	SG198	245	254	287	356	467	569
	3	SG197	278	296	366	397	542	757
	4	SG196	303	313	477	498	603	927
TWO WAY WITH NO OFF 	1	SG037	261	270	283	347	467	498
	2	SG038	302	313	329	425	647	688
	3	SG039	365	397	439	534	809	894
	4	SG040	447	468	534	669	948	1081
TWO WAY WITH OFF 	1	SG151	267	280	296	320	452	603
	2	SG152	294	313	423	439	620	912
	3	SG153	381	417	585	669	756	1220
	4	SG154	450	484	809	843	912	1508
THREE WAY WITH OFF 	1	SG060	347	365	397	409	659	722
	2	SG080	399	423	423	469	688	844
	3	SG100	423	604	685	714	978	1271
	4	SG131	603	722	827	926	1321	1543
FOUR WAY WITH NO OFF 	1	SG050	351	359	399	417	655	825
	2	SG070	417	431	484	534	742	958
	3	SG090	451	656	762	859	1011	1338
	4	SG121	605	774	926	998	1339	1680



		HRC FUSE BASE (OPEN TYPE)				HSN 85361050		
RATING AMP	BAKELITE		DMC		PORCELAIN (OSIYAN)			
	CAT NO.	PRICE Rs.	CAT NO.	PRICE Rs.	CAT NO.	PRICE Rs.		
125	SGL125B	178.00	SGL125D	182				
160	SGS160B	190.00	SGS160D	210	SGS160P	210		
250	SGS250B	519.00	SGS250D	574	SGS250P	574		
400	SGS400B	739.00	SGS400D	822	SGS400P	822		
630	SGS630B	1119.00	SGS630D	1242	SGS630P	1242		



Moulded Fuse Bases & Carrier - Enclosed Type			
Description	CAT No.	MRP	
20 AMP Front Connection	SGH20	106.00	
20 AMP Bus Bar Connection	SGB20	132.00	
32 AMP Front Connection	SGH32	195.00	
32 AMP Bus Bar Connection	SGB32	202.00	
63 AMP Front Connection	SGH63	260.00	
63 AMP Bus Bar Connection	SGB63	330.00	
125 AMP Front Connection	SGH125	685.00	
125 AMP Bus Bar Connection	SGB125	750.00	
63 AMP Front Connection	SGHF-63	143.00	

RATING	CAT NO.	PRICE	PACK.
<b>SGNF TYPE FUSE LINKS WITH STAGGERED TAGS 415V AC</b> CONFORMS IS : 13703 IEC 269			
2A	SGNS 2	41	20
4A	SGNS 4	41	
6A	SGNS 6	41	
10A	SGNS 10	41	
16A	SGNS 16	41	
20A	SGNS 20	44	
25A	SGNS 25	44	
32A	SGNS 32	44	
<b>TYPE TS-415V AC OFFSET TAGS (2 HOLE FIXING BOLTED)</b> CONFORMS IS : 13703 IEC 269			
6	SG-TSA6	64	6
10	SG-TSA10	64	
16	SG-TSA16	64	
20	SG-TSA20	64	
25	SG-TSA25	64	
32	SG-TSA32	64	
36	SG-TSS36	79	
50	SG-TSS50	79	
63	SG-TSS63	82	
80	SG-TSDS80	145	
100	SG-TSDS100	147	
125	SG-TSDS125	150	
80	SG-TSD80	159	
100	SG-TSD100	159	
125	SG-TSD125	159	
125	SG-TSFP125	255	
160	SG-TSFP160	260	
200	SG-TSFP200	265	
<b>FUSE LINKS TYPE EIT</b>			
32	ST-EIT 6 to 32	70	20
63	ST-EIT 36 to 63	75	



RATING	CAT NO.	PRICE	PACK.	
<b>TYPE T-660V AC OFFSET TAGS (2 HOLE FIXING BOLTED)</b> CONFORMS IS : 13703 IEC 269				
6	SG-TIA6	80	6	
10	SG-TIA10	80		
16	SG-TIA16	80		
20	SG-TIA20	80		
25	SG-TIA25	80		
32	SG-TIA32	80		
36	SG-TIS36	91		
50	SG-TIS50	91		
63	SG-TIS63	91		
80	SG-TCP80	209		
100	SG-TCP100	212	6	
125	SG-TCP125	237		
125	SG-TFP125	321		
160	SG-TFP160	321		
200	SG-TFP200	321		
<b>FUSE LINKS TYPE SG HF 415 V, 50 Hz</b> CONFORMS IS : 13703 IEC 269				
2	SG-FR2	69		20
4	SG-FR4	69		
6	SG-FR6	69		
8	SG-FR8	69		
10	SG-FR10	69		
16	SG-FR16	69		
20	SG-FR20	69		
25	SG-FR25	69		
32	SG-FR32	69		
40	SG-FR40	87		
50	SG-FR50	87		
63	SG-FR63	87		



**HRC FUSES (DIN TYPE) UPTO 630 A,**  
415 V AC, 50 Hz. BREAKING CAPACITY 80 kA  
CONFORMS IS : 13703 IEC 269

SIZE	RATING AMP	CAT NO.	PRICE	PACK.
00'	6	SGF-6	248	3
00'	10	SGF-10	248	
00'	16	SGF-16	248	
00'	20	SGF-20	248	
00'	25	SGF-25	248	
00'	32	SGF-32	248	
00'	50	SGF-50	248	
00'	63	SGF-63	248	
00'	80	SGF-80	248	
00'	100	SGF-100	248	
00'	125	SGF-125	248	1
00'	160	SGF-160	248	
1'	125	SGF-125	395	
1'	160	SGF-160	402	
1'	200	SGF-200	420	
1'	250	SGF-250	431	
2'	315	SGF-315	574	
2'	400	SGF-400	627	
3'	500	SGF-500	830	
3'	630	SGF-630	877	
3'	800	SGF-800	948	



<b>CENTRAL TAGS (2 HOLE FIXING BOLTED)</b> CONFORMS IS : 13703 IEC 269			
Amp	Cat No.	Price	Pkg
80	SGTS DC80	175	6
100	SGTS DC100	175	
125	SGTSF 125	286	
160	SGTSF 160	290	
200	SGTSF 200	295	
250	SGTSF 250	308	
250	SGTSK 250	445	
315	SGTSK 315	455	
400	SGTSMS 400	786	



**S. S. Type Plug & Socket 30A / 415V**



**Plug**

**Socket**

3 PIN	508	508
4 PIN	539	539
5 PIN	575	575
12 PIN	1023	1023

**Metal Clad Plug & Socket**

**HSN 85366990**




Description	Cat No.	Plug Price	Socket Price
10 A / 2 POLE / 220 V	SGP-1	122	--
10 A / 2 POLE / 220 V	SGS-1	—	127
20 A / 2 POLE / 220 V	SGP-2	140	—
20 A / 2 POLE / 220 V	SGS-2	—	150
20 A / 3 POLE / 440 V	SGP-3	179	—
20 A / 3 POLE / 440 V	SGS-3	—	193
30 A / 3 POLE / 440 V	SGP-4	375	----
30 A / 3 POLE / 440 V	SGS-4	—	410
63 A / 6 POLE / 440 V	SGP-63	2127	----
63 A / 6 POLE / 440 V	SGS-63	---	2247

**Plug & Socket Steel Enclosures** Powder Coated with Neutral Link ( Without MCB)




Description	Cat No.	Price
10 A / 220 V	SG-PS/SP1	602
20 A / 220 V	SG-PS/SP2	677
20 A / 440 V	SG-PS/TP2	1245
30 A / 440 V	SG-PS/TP3	1587
63 A / 440 V (Empty- W/o P&S)	SG-PS/TP63	1465

POWER CONTACTORS 4 POLE AC 16 AMP TO 40 AMP TYPE UCH			SUITABLE FOR <b>BCH</b>
STANDARD COIL VOLTAGE 24, 48, 110, 220/240 & 380/415V AC 50 Hz. MAX. 3 PH MOTOR OUTPUT AT 415 V AC			
AMP	CAT. NO.	PRICE Rs. (EACH)	
16	UCH 16A	1430.00	
25	UCH 25A	1870.00	
40	UCH 40A	2310.00	



POWER CONTACTORS 2 POLE AC 16 AMP TO 32 AMP TYPE 'US'				SUITABLE FOR <b>SIEMENS</b>
STANDARD COIL VOLTAGE 24, 48, 110, 220/240 & 380/415V AC 50 Hz				
AMP	CAT. NO.	PRICE	PRICE SPARE KIT	PRICE SPARE COIL
16	US-21	770.00	440.00	385.00
22	US-11	2750.00	1100.00	770.00

DOL MOTOR STARTER			
(IN SHEET STEEL ENCLOSURE MOTOR RATING AC-3 DUTY, 415V, 50Hz, 3 PH) MAX. 3 PH MOTOR OUTPUT AT 415 V AC			
HP	KW	RELAY RANGE AMP	PRICE PER UNIT
UPTO 7.5	5.5	3-5 / 6-10 / 9-14	1375.00
7.5	5.5	11-18	1540.00
<b>MINI STARTER (UT-1)</b>		6-10 / 9-14	715.00



STAR DELTA STARTER ( FULLY AUTO)			
(IN SHEET STEEL ENCLOSURE MOTOR RATING AC-3 DUTY, 415V, 50Hz, 3 PH)			
CAT No.	HP	RELAY RANGE	PRICE
UT-1-FASD	12.5	9-14	4730.00
UL-1.5-FASD	25	13-22	9800.00
UL-2-FASD	35	20-32	17200.00

3 POLE POWER CONTACTOR ( L&T Type)		
AMP	DESCRIPTION	PRICE
25 A	UL 1.5	1320.00
32 A	UL 2	2860.00
40A	UL 3	3200.00
70A	UL 4	7600.00



AUTHORISED STOCKIST

**SANJAY**  
electrical

Pittale Apartment, First Floor, 527 Budhwar Peth, Tapkir Galli, Pune - 411002.  
Tel : 020 - 24456774, 24491816, 66029641 / 642. Mobile : 7875758405 / 08 ; 7420010397.  
E-mail : sanjayelectricals@rediffmail.com • sanjayelt@gmail.com  
Office hours : 9-30 a.m. to 2.00 p.m. & 2.30 p.m. to 7.30 p.m.

**TERMS & CONDITIONS :** 1) PRICES ARE SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE.  
2) GST APPLICABLE 3) THIS PRICE LIST CANCELS ALL OUR PREVIOUS PRICE LISTS.  
4) SUBJECT TO PUNE JURISDICTION ONLY.



